according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

Version	Revision Date:	SDS Number:
1.6	30.01.2024	400001010055



Enriching lives through innovation

Date of last issue: 08.12.2023 Date of first issue: 26.01.2016

Print Date 01.05.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: ARALDITE® LY 3508 BD
Unique Formula Identifier (UFI)	: YT43-M0Q8-F000-8AKT

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	: Epoxy constituents
Substance/Mixture	

1.3 Details of the supplier of the safety data sheet

Company Address	 Huntsman Advanced Materials (Europe) BV Grijpenlaan 18 3300 Tienen Belgium
Telephone Telefax	: +41 61 299 20 41 : +41 61 299 20 40
E-mail address of person responsible for the SDS	: Global_Product_EHS_AdMat@huntsman.com

1.4 Emergency telephone number

Lineigency telephone number		
Emergency telephone number	:	Centres Antipoison et de Toxicovigilance: ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80 LILLE: 0 825 812 822 LYON: 04 72 11 69 11 MARSEILLE 04 91 75 25 25 NANCY: 03 83 32 36 36 PARIS: 01 40 05 48 48 RENNES: 02 99 59 22 22 STRASBOURG: 03 88 37 37 37 TOULOUSE: 05 61 77 74 47 EUROPE: $+32$ 35 75 1234 France ORFILA: $+33(0)145425959$ ASIA: $+65$ 6336-6011 China: $+86$ 20 39377888 +86 532 83889090 India: $+$ 91 22 42 87 5333 Australia: 1800 786 152 New Zealand: 0800 767 437 USA: $+1$ 800-424-9300

according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

Version 1.6 Revision Date: 30.01.2024

SDS Number: 400001010055



Enriching lives through innovation

Date of last issue: 08.12.2023 Date of first issue: 26.01.2016

Print Date 01.05.2024

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Skin irritation, Category 2	H315: Causes skin irritation.		
Eye irritation, Category 2	H319: Causes serious eye irritation.		
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.		
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.		

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H315 H317 H319 H411	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Preventior P261 P264 P273 P280	Avoid breathing mist or vapours. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection.
		Response	

Hazardous components which must be listed on the label:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane

Additional Labelling

EUH205 Contains epoxy constituents. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

Version	Revision Date:
1.6	30.01.2024

SDS Number: 400001010055 Date of last issue: 08.12.2023 Date of first issue: 26.01.2016

Print Date 01.05.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concent ration (% w/w)
2,2'-[(1-methylethylidene)bis(4,1- phenyleneoxymethylene)]bisoxir ane	1675-54-3 216-823-5 603-073-00-2 01-2119456619-26	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 specific concentration limit Skin Irrit. 2; H315 >= 5 % Eye Irrit. 2; H319 >= 5 %	>= 90 - <= 100

For explanation of abbreviations see section 16.

Both 25068-38-6 and 1675-54-3 can be used to describe the epoxy resin which is produced through the reaction of bisphenol A and epichlorohydrin

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Move out of dangerous are Show this safety data shee Treat symptomatically. Get medical attention if syn	t to the doctor in attendance.
Protection of first-aiders	and use the recommended If potential for exposure ex- personal protective equipm Avoid inhalation, ingestion No action shall be taken in suitable training.	ists refer to Section 8 for specific ent. and contact with skin and eyes. volving any personal risk or without person providing aid to give



according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

Version 1.6	Revision Date: 30.01.2024	SDS Number: 400001010055	Date of last issue: 08.12.2023 Date of first issue: 26.01.2016
			Print Date 01.05.2024
lf inha	aled	: If inhaled, rem Get medical a	nove to fresh air. ttention if symptoms occur.
In case of skin contact		If on skin, rins	n persists, call a physician. e well with water. remove clothes.
In cas	e of eye contact	Remove conta Keep eye wid	ush eye(s) with plenty of water. act lenses. e open while rinsing. n persists, consult a specialist.
If swallowed			ory tract clear. ything by mouth to an unconscious person. ersist, call a physician.
4.2 Most important symptoms and effects, both acute and delayed			cute and delayed
Risks		-	rritation. allergic skin reaction. us eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1	Extinguishing media				
	Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical		
	Unsuitable extinguishing media	:	Exercise caution when using a high volume water jet as it may scatter and spread fire		
5.2	5.2 Special hazards arising from the substance or mixture				
	Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.		
	Hazardous combustion products	:	Carbon oxides Phenolics		
5.3	5.3 Advice for firefighters				
	Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.		
	Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		



according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

Version 1.6	Revision Date: 30.01.2024	SDS Number: 400001010055	Date of last issue: 08.12.2023 Date of first issue: 26.01.2016
			Print Date 01.05.2024
Furthe	er information	must not be dise Fire residues ar	nated fire extinguishing water separately. This charged into drains. nd contaminated fire extinguishing water must in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Refer to protective measures listed in sections 7 and 8.
6.2 Environmental precautions		
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

Version Revision Date: SDS Number: 1.6 30.01.2024 400001010055	Date of last issue: 08.12.2023 Date of first issue: 26.01.2016	
--	---	--

Print Date 01.05.2024

7.2 Conditions for safe storage, including any incompatibilities

······································				
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers.		
Advice on common storage	:	For incompatible materials please refer to Section 10 of this SDS.		
Further information on storage stability	:	Stable under normal conditions.		
Recommended storage temperature	:	2 - 40 °C		
7.3 Specific end use(s) Specific use(s)	:	No data available		

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2,2'-[(1- methylethylidene)bis(4,1- phenyleneoxymethyle ne)]bisoxirane	Workers	Inhalation	Long-term systemic effects	4,93 mg/m3
	Workers	Dermal	Long-term systemic effects	0,75 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,87 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,0893 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	0,5 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2,2'-[(1-methylethylidene)bis(4,1- phenyleneoxymethylene)]bisoxira	Fresh water	0,006 mg/l
ne		
	Marine water	0,001 mg/l
	Fresh water sediment	0,341 mg/kg dry weight (d.w.)
	Marine sediment	0,034 mg/kg dry



according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

Version	
1.6	

Revision Date: 30.01.2024

SDS Number: 400001010055

Date of last issue: 08.12.2023 Date of first issue: 26.01.2016

Print Date 01.05.2024

	weight (d.w.)
Soil	0,065 mg/kg dry
	weight (d.w.)
Sewage treatment plant	10 mg/l
Secondary Poisoning	11 mg/kg

8.2 Exposure controls

Personal protective equipment				
Eye/face protection :	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.			
Hand protection Material : Break through time :	butyl-rubber > 8 h			
Material :	Solvent-resistant gloves (butyl-rubber)			
Material :	Nitrile rubber			
Material : Break through time :	Neoprene gloves 10 - 480 min			
Remarks :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The suitability for a specific workplace should be discussed with the producers of the protective gloves.			
Skin and body protection :	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.			
Respiratory protection :	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines Equipment should conform to EN 14387			
Filter type :	Combined particulates and organic vapour type (A-P)			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: white, opaque
Odour	: slight



according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

/ersion .6	Revision Date: 30.01.2024	SDS Nu 400001	umber: 010055	Date of last issue: 08.12.2023 Date of first issue: 26.01.2016
				Print Date 01.05.2024
Odou	r Threshold	: No	data is ava	ailable on the product itself.
Meltin	Melting point/freezing point		data availa	able
Boiling	Boiling point		00 °C	
Flamn	nability (solid, gas)	: No	data is ava	ailable on the product itself.
	explosion limit / Lower ability limit	: No	data is ava	ailable on the product itself.
	r explosion limit / Upper nability limit	: No	data is ava	ailable on the product itself.
Flash	point		:00 °C thod: close	ed cup
Auto-i	gnition temperature	: No	data is ava	ailable on the product itself.
Decor	mposition temperature	: >2	00 °C	
рН	рН		7 (20 °C) ncentration	n: 500 g/l
	Viscosity Viscosity, dynamic		000 - 20 0(00 mPa.s (25 °C)
	ility(ies) ter solubility	: pra	ctically ins	oluble (20 °C)
Sol	ubility in other solvents	: No	data is ava	ailable on the product itself.
	on coefficient: n- ol/water	: No	data is ava	ailable on the product itself.
Vapou	ur pressure	: <0	,0001 hPa	(20 °C)
Densi	ty	: 1,1	5 - 1,2 g/cr	m3 (25 °C)
Relati	Relative density		data is ava	ailable on the product itself.
Relati	Relative vapour density		data is ava	ailable on the product itself.
Partic	le characteristics	: No	data is ava	ailable on the product itself.

9.2 Other information

Miscibility with water	:	immiscible
------------------------	---	------------



according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

Version	
1.6	

Revision Date: 30.01.2024



Enriching lives through innovation

Date of last issue: 08.12.2023 Date of first issue: 26.01.2016

Print Date 01.05.2024

Molecular weight

: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid

: Strong acids Strong bases Strong oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Acute oral toxicity	:	LD50 (Rat, female): > 2 000 mg/kg Method: OECD Test Guideline 420 Assessment: The substance or mixture has no acute oral toxicity Remarks: No mortality observed at this dose.
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2 000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes skin irritation.

according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

Version	Revisi
1.6	30.01

ion Date: S .2024 4 Enriching lives through innovation

Date of last issue: 08.12.2023 Date of first issue: 26.01.2016

Print Date 01.05.2024

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species	: Rabbit
Exposure time	: 4 h
Assessment	: Irritating to skin.
Method	: OECD Test Guideline 404
Result	: Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species	:	Rabbit
Assessment	:	Irritating to eyes.
Method	:	OECD Test Guideline 405
Result	:	Irritating to eyes.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	The product is a skin sensitiser, sub-category 1B.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vitro	 Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: without metabolic activation Result: positive
	Test Type: reverse mutation assay Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay) Result: negative
Genotoxicity in vivo	: Test Type: in vivo assay

according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

Version Revis 1.6 30.01

Revision Date: 30.01.2024

SDS Number: 400001010055



Enriching lives through innovation

Date of last issue: 08.12.2023 Date of first issue: 26.01.2016

Print Date 01.05.2024

Species: Mouse (male) Cell type: Germ Application Route: Oral Dose: 3333, 10000 mg/kg Result: negative

Test Type: gene mutation test Species: Rat (male) Cell type: Somatic Application Route: Oral Dose: 50,250,500,1000 mg/kg bw/day Method: OECD Test Guideline 488 Result: negative

Carcinogenicity

Not classified due to lack of data.

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

	(.,	
Species	:	Rat, male
Application Route	:	Oral
Exposure time	:	24 month(s)
Dose	:	0, 2, 15, or 100 mg/kg bw/day
Frequency of Treatment	:	7 days/week
NOAEL	:	15 mg/kg bw/day
Method	:	OECD Test Guideline 453
Result	:	negative
Target Organs	:	Digestive organs
Species	:	Mouse, male
Application Route	:	Dermal
Exposure time	:	24 month(s)
Dose	:	0, 0.1, 10, 100 mg/kg bw/day
Frequency of Treatment	:	3 days/week
NOEL	:	0,1 mg/kg body weight
Method	:	OECD Test Guideline 453
Result	:	negative
Target Organs	:	Digestive organs
Species		Pat famala
Species	:	Rat, female Dermal
Application Route	:	
Exposure time	:	24 month(s)
Dose	÷	0.1, 100, 1000 mg/kg bw/day
Frequency of Treatment	:	5 days/week
NOEL	:	100 mg/kg body weight
Method	:	OECD Test Guideline 453
Result	:	negative
Species	:	Rat, female
Application Route	:	Oral
Exposure time	:	24 month(s)
Dose		0, 2, 15, or 100 mg/kg bw/day
Frequency of Treatment	:	7 days/week
NOAEL	:	100 mg/kg bw/day
	•	loo mgag bwaay

Version

1.6

according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

30.01.2024

Revision Date:

SDS Number:

400001010055

Method Result Target Organs	 OECD Test Guideline 453 negative Digestive organs
Species Application Route Exposure time Dose Frequency of Treatment NOEL Method Result Target Organs	 Rat, females Oral 24 month(s) 0, 2, 15, or 100 mg/kg bw/day 7 days/week 2 mg/kg bw/day OECD Test Guideline 453 negative Digestive organs
Reproductive toxicity Not classified due to lack of da	ıta.
Components:	
2,2'-[(1-methylethylidene)bis	(4,1-phenyleneoxymethylene)]bisoxirane:
Effects on fertility	 Test Type: Two-generation study Species: Rat, male and female Application Route: Oral Dose: 0, 50, 180, 540 or 750 milligram per kilogram Duration of Single Treatment: 238 d Frequency of Treatment: 1 daily General Toxicity - Parent: NOEL: 540 mg/kg body weight General Toxicity F1: NOEL: 750 mg/kg body weight Symptoms: No adverse effects Method: OECD Test Guideline 416 Result: No effects on fertility and early embryonic development were detected.
Effects on foetal development	 Species: Rabbit, female Application Route: Dermal Dose: 0, 30, 100 or 300 milligram per kilogram Duration of Single Treatment: 28 d Frequency of Treatment: 1 daily General Toxicity Maternal: NOAEL: 30 mg/kg body weight Developmental Toxicity: NOAEL: 300 mg/kg body weight Method: Other guidelines Result: No teratogenic effects
	Test Type: Pre-natal Species: Rabbit, female Application Route: Oral Dose: 0, 20, 60 or 180 milligram per kilogram Duration of Single Treatment: 13 d Frequency of Treatment: 1 daily General Toxicity Maternal: NOAEL: 60 mg/kg body weight Developmental Toxicity: NOAEL: 180 mg/kg body weight Method: OECD Test Guideline 414 Result: No teratogenic effects
	Test Type: Pre-natal

12/21



Enriching lives through innovation

Date of last issue: 08.12.2023 Date of first issue: 26.01.2016

Print Date 01.05.2024

according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

Version Revision Date: 1.6 30.01.2024

SDS Number: 400001010055 Date of last issue: 08.12.2023 Date of first issue: 26.01.2016

Print Date 01.05.2024

Species: Rat, female Application Route: Oral Dose: 0, 60, 180 and 540 milligram per kilogram Duration of Single Treatment: 10 d Frequency of Treatment: 1 daily General Toxicity Maternal: NOAEL: 180 mg/kg body weight Developmental Toxicity: NOAEL: > 540 mg/kg body weight Method: OECD Test Guideline 414 Result: No teratogenic effects

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species NOAEL Application Route Exposure time Number of exposures Dose Method	: : : : : : : : : : : : : : : : : : : :	Rat, male and female 50 mg/kg oral (gavage) 14 Weeks 7 d 0, 50, 250, 1000 mg/kg/day OECD Test Guideline 408
Species NOAEL Application Route Exposure time Number of exposures Dose Method	: :	Rat, male and female >= 10 mg/kg Skin contact 13 Weeks 5 d 0, 10, 100, 1000 mg/kg/day OECD Test Guideline 411
Species NOAEL Application Route Exposure time Number of exposures Dose Method	: :	Mouse, male 100 mg/kg Skin contact 13 Weeks 3 d 0, 1, 10, 100 mg/kg/day OECD Test Guideline 411

:

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

Enriching lives through innovation

13/21

according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

Version	Revi
1.6	30.0

ision Date:)1.2024 SDS Number: 400001010055 Enriching lives through innovation

Date of last issue: 08.12.2023 Date of first issue: 26.01.2016

Print Date 01.05.2024

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Experience with human exposure No data available Toxicology, Metabolism, Distribution No data available Neurological effects No data available Further information

No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:		
2,2'-[(1-methylethylidene)bis((4, ⁻	1-phenyleneoxymethylene)]bisoxirane:
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h Test Type: static test Test substance: Fresh water Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 : 11 mg/l Exposure time: 72 h Test Type: static test Test substance: Fresh water Method: EPA-660/3-75-009
		NOEC : 4,2 mg/l Exposure time: 72 h Test Type: static test Test substance: Fresh water Method: EPA-660/3-75-009
Toxicity to microorganisms	:	IC50 (activated sludge): > 100 mg/l Exposure time: 3 h Test Type: static test Test substance: Fresh water
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,3 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Test substance: Fresh water Method: OECD Test Guideline 211

according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

Version 1.6	Revision Date: 30.01.2024	SDS Number: 400001010055	Date of last issue: 08.12.2 Date of first issue: 26.01.2
			Pri
	oxicology Assessment nic aquatic toxicity		: life with long lasting effects.
12.2 Pers	istence and degradat	bility	
Com	ponents:		
2,2'-[(1-methylethylidene)l	ois(4,1-phenyleneoxy	methylene)]bisoxirane:
Biode	egradability	Concentration: Result: Not read Biodegradation Exposure time:	ated sludge, non-adapted 20 mg/l dily biodegradable. : 5%
Stabi	lity in water	pH: 4 Method: OECD Remarks: Frest	If life (DT50): 4,83 d (25 °C) Test Guideline 111 n water If life (DT50): 7,1 d (25 °C)

pH: 9 Method: OECD Test Guideline 111 Remarks: Fresh water

Degradation half life (DT50): 3,58 d (25 °C) pH: 7 Method: OECD Test Guideline 111 Remarks: Fresh water

12.3 Bioaccumulative potential

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Bioaccumulation	:	Bioconcentration factor (BCF): 31 Remarks: Does not bioaccumulate.
Partition coefficient: n- octanol/water	:	log Pow: 3,242 (25 °C) pH: 7,1 Method: OECD Test Guideline 117

12.4 Mobility in soil

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Distribution among : Koc: 445 environmental compartments

12.5 Results of PBT and vPvB assessment

Product:



Date of last issue: 08.12.2023 .2016

rint Date 01.05.2024

according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

Version 1.6	Revision Date: 30.01.2024	SDS Numb 400001010	Date of first issue: 26.01.2016
			Print Date 01.05.2024
Asse	ssment	to be ei	ostance/mixture contains no components considered ther persistent, bioaccumulative and toxic (PBT), or rsistent and very bioaccumulative (vPvB) at levels of higher.
12.6 End	ocrine disrupting prop	perties	
Prod	uct:		
Asse	ssment	conside to REA (EU) 20	ostance/mixture does not contain components red to have endocrine disrupting properties according CH Article 57(f) or Commission Delegated regulation 17/2100 or Commission Regulation (EU) 2018/605 at f 0.1% or higher
12.7 Othe	er adverse effects		
	l <u>uct:</u> ional ecological nation	unprofe	ronmental hazard cannot be excluded in the event of ssional handling or disposal. aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	Dispose of contents and container in accordance with regional, national and international regulations. Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container.	
Contaminated packaging	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 3082
ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
ΙΑΤΑ	:	UN 3082
14.2 UN proper shipping name		
ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL A EPOXY RESIN)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,



according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

HUNTSMAN

ANAL	DITER LY 3508 B	U				
Version 1.6	Revision Date: 30.01.2024	SDS Nur 4000010		Date of last issue: 08.12.2023 Date of first issue: 26.01.2016		
				Print Date 01.05.2024		
RID		: ENVI N.O.S	PHENOL A RONMENT S.	EPOXY RESIN) ALLY HAZARDOUS SUBSTANCE, LIQUID,		
IMD	OG	: ENVI N.O.S	RONMENT S.	EPOXY RESIN) ALLY HAZARDOUS SUBSTANCE, LIQUID,		
IAT	A	: Envir	onmentally	EPOXY RESIN) hazardous substance, liquid, n.o.s. EPOXY RESIN)		
14.3 Tra	nsport hazard class(es)	,		,		
		Class	3	Subsidiary risks		
ADI	N	: 9				
AD	R	: 9				
RID	I	: 9				
IMD)G	: 9				
IAT	Α	: 9				
14.4 Packing group						
Clas	king group ssification Code zard Identification Number	: III : M6 : 90 : 9				
Clas Haz Lab	king group ssification Code zard Identification Number	: III : M6 : 90 : 9 : 9 : (-)				
Clas	king group ssification Code zard Identification Number	: III : M6 : 90 : 9				
Lab	king group	: III : 9 : F-A, :	S-F			
Pac airc	A (Cargo) king instruction (cargo raft)	: 964 : Y964				
	king instruction (LQ) king group els	: 111	ellaneous			
IAT	A (Passenger)					

according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD



Enriching lives through innovation

Version 1.6	Revision Date: 30.01.2024	SDS Number: 400001010055		Date of last issue: 08.12.2023 Date of first issue: 26.01.2016
				Print Date 01.05.2024
	cking instruction Issenger aircraft)	:	964	
Pa	cking instruction (LQ)	:	Y964	
	cking group	:		
La	pels	:	Miscellaneous	
14.5 En	vironmental hazards			
AD	N			
En	vironmentally hazardous	:	yes	
AD En	R vironmentally hazardous	:	yes	
RII En) vironmentally hazardous	:	yes	
IM	DG Irine pollutant	:	yes	
IAI	ΓΑ (Passenger) vironmentally hazardous	:	yes	
	Γ A (Cargo) vironmentally hazardous	:	yes	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisa (Annex XIV)	ation	:	Not applicable
REACH - Candidate List of Substances of Very Concern for Authorisation (Article 59).	High	:	This product does not contain substances of very high concern.
REACH - Restrictions on the manufacture, placi the market and use of certain dangerous substa mixtures and articles (Annex XVII)	0	:	Conditions of restriction for the following entries should be considered: Number on list 75, 3 If you intend to use this product as tattoo ink, please contact your vendor.
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the	E2	EΝ\	/IRONMENTAL HAZARDS

according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

Version	Revision Date:	SDS Number:
1.6	30.01.2024	400001010055

HUNTSMAN

Enriching lives through innovation

Date of last issue: 08.12.2023 Date of first issue: 26.01.2016

Print Date 01.05.2024

control of major-accident hazards involving dangerous substances.

Occupational Illnesses (R- : 51 461-3, France) Installations classified for the : 4511

protection of the environment (Environment Code R511-9)

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

DSL	: All components of this product are on the Canadian DSL
AIIC	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory

Inventories

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

Version R 1.6 30

Revision Date: 30.01.2024

SDS Number: 400001010055



Enriching lives through innovation

Date of last issue: 08.12.2023 Date of first issue: 26.01.2016

Print Date 01.05.2024

SECTION 16: Other information

Full text of H-Statements			
H315 H317 H319 H411	: Causes serious eye irri	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.	
Full text of other abbreviations			
Aquatic Chronic Eye Irrit. Skin Irrit. Skin Sens.	 Long-term (chronic) aq Eye irritation Skin irritation Skin sensitisation 	uatic hazard	
Further information			
Classification of the mixture:		Classification procedure:	
Skin Irrit. 2	H315	Calculation method	
Eye Irrit. 2	H319	Calculation method	
Skin Sens. 1	H317	Calculation method	
Aquatic Chronic 2	H411	Calculation method	

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.

according to Regulation (EC) No. 1907/2006

ARALDITE® LY 3508 BD

Version 1.6 30.01.2024

Revision Date:

SDS Number: 400001010055

Date of last issue: 08.12.2023 Date of first issue: 26.01.2016

Print Date 01.05.2024

