according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

Version	Revision Date:	SDS Number:
1.2	10.11.2021	400001009725



Enriching lives through innovation

Date of last issue: 11.06.2018 Date of first issue: 01.03.2017

Print Date 09.01.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: ARALDITE® 1570 FST B
Unique Formula Identifier (UFI)	: 0QP5-S012-W00T-5243

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Hardener
Substance/Mixture		

1.3 Details of the supplier of the safety data sheet

Company Address	 Huntsman Advanced Materials (Europe)BVBA Everslaan 45 3078 Everberg Belgium
Telephone Telefax	: +41 61 299 20 41 : +41 61 299 20 40
E-mail address of person responsible for the SDS	: Global_Product_EHS_AdMat@huntsman.com

1.4 Emergency telephone number

Emergency telephone number			
Emergency telephone number	:	Centres Antipoison et de Toxicovigilance: ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80 LILLE: 0 825 812 822 LYON: 04 72 11 69 11 MARSEILLE 04 91 75 25 25 NANCY: 03 83 32 36 36 PARIS: 01 40 05 48 48 RENNES: 02 99 59 22 22 STRASBOURG: 03 88 37 37 37 TOULOUSE: 05 61 77 74 47 EUROPE: $+32$ 35 75 1234 France ORFILA: $+33(0)$ 145425959 ASIA: $+65$ 6336-6011 China: $+86$ 20 39377888 +86 532 83889090 India: $+$ 91 22 42 87 5333 Australia: 1800 786 152 New Zealand: 0800 767 437 USA: $+1/800/424.9300$	

according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

Version 1.2

Revision Date: 10.11.2021

SDS Number: 400001009725



Enriching lives through innovation

Date of last issue: 11.06.2018 Date of first issue: 01.03.2017

Print Date 09.01.2024

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Skin irritation, Category 2	H315: Causes skin irritation.		
Serious eye damage, Category 1	H318: Causes serious eye damage.		
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.		
Chronic aquatic toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects.		

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word	:	Danger	
Hazard statements	:	H315 H317 H318 H411	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P261 P264 P273 P280 Response:	Avoid breathing mist or vapours. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection.
		•	338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Collect spillage.

Hazardous components which must be listed on the label:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine

2,4,6-tris(dimethylaminomethyl)phenol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

Version Revis 1.2 10.11

Revision Date: 10.11.2021

SDS Number: 400001009725 Date of last issue: 11.06.2018 Date of first issue: 01.03.2017

Print Date 09.01.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concent ration (% w/w)
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	68082-29-1 500-191-5 01-2119972320-44	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Chronic 2; H411	>= 30 - < 50
2,4,6- tris(dimethylaminomethyl)phenol	90-72-2 202-013-9 603-069-00-0 01-2119560597-27	Acute Tox. 4; H302 Skin Corr. 1C; H314 Eye Dam. 1; H318	>= 3 - < 5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders :	First Aid responders should pay attention to self-protection and use the recommended protective clothing If potential for exposure exists refer to Section 8 for specific personal protective equipment. Avoid inhalation, ingestion and contact with skin and eyes. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
If inhaled :	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact :	If skin irritation persists, call a physician.



according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

Version Revision Date: SDS Number: Date of last issue: 11.06.2018 10.11.2021 400001009725 1.2 Date of first issue: 01.03.2017 Print Date 09.01.2024 If on skin, rinse well with water, If on clothes, remove clothes. In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed Keep respiratory tract clear. : Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

- **4.2 Most important symptoms and effects, both acute and delayed** None known.
- 4.3 Indication of any immediate medical attention and special treatment needed
 - Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	Exercise caution when using a high volume water jet as it may scatter and spread fire
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx)
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

4/21

Enriching lives through innovation



Enriching lives thr

according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

Version	Revis
1.2	10.11

sion Date: 1.2021 SDS Number: 400001009725



Enriching lives through innovation

Date of last issue: 11.06.2018 Date of first issue: 01.03.2017

Print Date 09.01.2024

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions Use personal protective equipment. Refer to protective measures listed in sections 7 and 8. 6.2 Environmental precautions Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. 6.3 Methods and material for containment and cleaning up Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel.

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

Version 1.2	Revision Date: 10.11.2021	SDS Number: 400001009725	Date of last issue: 11.06.2018 Date of first issue: 01.03.2017	

Print Date 09.01.2024

7.2 Conditions for safe storage, including any incompatibilities

in evenanterie fer eare eterage,	ni oonanono ren odro oronago, morading diry moompanonnoo					
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers.				
Advice on common storage	:	For incompatible materials please refer to Section 10 of this SDS.				
Further information on storage stability	:	Stable under normal conditions.				
Recommended storage temperature	:	2 - 8 °C				
7.3 Specific end use(s) Specific use(s)	:	No data available				

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2,4,6- tris(dimethylaminomet hyl)phenol	Workers	Inhalation	Long-term systemic effects	0,53 mg/m3
	Workers	Inhalation	Acute systemic effects	2,1 mg/m3
	Workers	Dermal	Long-term systemic effects	0,150 mg/kg
	Workers	Dermal	Acute systemic effects	0,600 mg/kg
	Consumers	Inhalation	Long-term systemic effects	0,130 mg/m3
	Consumers	Inhalation	Acute systemic effects	0,130 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,075 mg/kg
	Consumers	Dermal	Acute systemic effects	0,075 mg/kg
	Consumers	Oral	Long-term systemic effects	0,075 mg/kg
Fatty acids, C18- unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and	Workers	Oral	Long-term systemic effects	3,9 mg/m3



according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

Version 1.2

Revision Date: 10.11.2021

SDS Number: 400001009725

Date of last issue: 11.06.2018 Date of first issue: 01.03.2017

Print Date 09.01.2024

triethylenetetramine				
	Workers	Dermal	Long-term systemic effects	1,1 mg/kg
	Workers	Inhalation	Systemic effects	0,97 mg/m3
	Consumers	Oral	Long-term systemic effects	0,56 mg/kg
	Consumers	Dermal	Long-term systemic effects	0,56 mg/kg
Oxydipropanol	Workers	Inhalation	Long-term systemic effects	238 mg/m3
	Workers	Dermal	Long-term systemic effects	84 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	70 mg/m3
	Consumers	Dermal	Long-term systemic effects	51 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	24 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name		Environmental Compartment	Value			
2,4,6- tris(dimethylaminomethyl)phenol		Fresh water	0,046 mg/l			
		Marine water	0,005 mg/l			
Remarks:	Assessme	ent Factors				
		Sewage treatment plant	0,262 mg/l			
	Assessme	ent Factors				
	1	Freshwater - intermittent	0,46 mg/l			
		Soil	0,025 mg/kg			
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine		Fresh water	0,00434 mg/l			
	Assessme	ent Factors				
		Marine water	0,00043 mg/l			
	Assessme	ent Factors	L			
		Freshwater - intermittent	0,0434 mg/l			
Assessme		ent Factors	L			
		Sewage treatment plant	3,84 mg/l			
	Assessme	ent Factors	I			
-	1	Fresh water sediment	434,02 mg/kg			
Equilibriun		m method	I			

according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

Version 1.2 Revision Date: 10.11.2021

SDS Number: 400001009725

Date of last issue: 11.06.2018 Date of first issue: 01.03.2017

Print Date 09.01.2024

	Marine sediment	43,4 mg/kg
	Equilibrium method	
	Soil	86,78 mg/kg
	Equilibrium method	
Oxydipropanol	Fresh water	0,1 mg/l
	Marine water	0,01 mg/l
	Freshwater - intermittent	1 mg/l
	Sewage treatment plant	1000 mg/l
	Fresh water sediment	0,238 mg/kg dry weight (d.w.)
	Marine sediment	0,024 mg/kg dry weight (d.w.)
	Soil	0,025 mg/kg dry weight (d.w.)
	Oral	313 mg/kg

8.2 Exposure controls

Personal protective equipment

Personal protective equipme	;IIL	
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Hand protection Material	:	butyl-rubber
Material Break through time		Ethyl Vinyl Alcohol Laminate (EVAL) > 8 h
Material Break through time	-	Nitrile rubber 10 - 480 min
Remarks	:	Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	:	Use respiratory protection unless adequate local exhaust

according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

Version 1.2	Revision Date: 10.11.2021	SDS Number: 400001009725	Date of last issue: 11.06.2018 Date of first issue: 01.03.2017
			Print Date 09.01.2024
	that exposures a	ovided or exposure assessment demonstrates are within recommended exposure guidelines Ild conform to EN 14387	
F	Filter type	: Combined partic	culates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

	ormation on basic physical a		d chemical properties paste
C	olour	:	white
0	dour	:	amine-like
0	dour Threshold	:	No data is available on the product itself.
pł	4	:	substance/mixture is non-soluble (in water)
М	elting point/freezing point	:	No data is available on the product itself.
B	oiling point	:	> 200 °C
FI	ash point	:	> 200 °C Method: Pensky-Martens closed cup, closed cup
FI	ammability (solid, gas)	:	No data is available on the product itself.
	pper explosion limit / Upper ammability limit	:	No data is available on the product itself.
	ower explosion limit / Lower ammability limit	:	No data is available on the product itself.
Va	apour pressure	:	< 0,1 hPa (20 °C)
R	elative vapour density	:	No data is available on the product itself.
R	elative density	:	No data is available on the product itself.
D	ensity	:	1,26 g/cm3 (20 °C)
S	olubility(ies) Water solubility	:	practically insoluble (20 °C)
	Solubility in other solvents	:	No data is available on the product itself.
	artition coefficient: n- ctanol/water	:	No data is available on the product itself.
A	uto-ignition temperature	:	No data is available on the product itself.



according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

AKA		B 13/0 F31 E	5		
Versio 1.2		vision Date: 11.2021		S Number: 001009725	Date of last issue: 11.06.2018 Date of first issue: 01.03.2017
					Print Date 09.01.2024
D	ecomposit	tion temperature		> 250 °C	
	ecomposi		•	230 0	
Vi	iscosity		:	No data is availat	ble on the product itself.
9.2 Ot	her inforn	nation			
N	lo data ava	ailable			
SECT	TON 10: \$	Stability and rea	ctiv	ity	
10.1 R	Reactivity				
N	lo dangero	us reaction known	und	er conditions of no	ormal use.
10.2 C	hemical s	stability			
St	table unde	er normal conditions	S.		
10.3 P	ossibility	of hazardous rea	ctio	ns	
H	lazardous	reactions	:	No hazards to be	specially mentioned.
1040	onditions	to avoid			
	onditions f			None known.	
0			•	None known.	
10.5 In	ncompatik	ole materials			
Μ	laterials to	avoid	:	Strong acids	
				Strong bases	
				Strong oxidizing a	agents
10.6 H	lazardous	decomposition p	rodu	ucts	
		decomposition	:	carbon dioxide	
pr	roducts			carbon monoxide Nitrogen oxides (
				Nillogen Unides (

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	
Acute oral toxicity - Product	: Acute toxicity estimate : > 2 000 mg/kg Method: Calculation method
Acute inhalation toxicity	: No data available

Components:

Fatty acids, C18-unsatd., din	ners, oligomeric reaction products with tall-oil fatty acids and
triethylenetetramine:	
Acute dermal toxicity	 LD50 (Rat, male and female): > 2 000 mg/kg Method: OECD Test Guideline 402



according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

Version	Revision Date:
1.2	10.11.2021

Acute dermal toxicity

SDS Number: 400001009725 Date of last issue: 11.06.2018 Date of first issue: 01.03.2017

Print Date 09.01.2024

2,4,6-tris(dimethylaminomethyl)phenol:

: LD50 (Rat, male): > 1 ml/kg

Assessment: The substance or mixture has no acute dermal toxicity

Acute toxicity (other routes of : No data available administration)

Skin corrosion/irritation

Product:

Species: Rabbit Assessment: Irritant Result: Irritating to skin.

Serious eye damage/eye irritation

Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine: Species: Rabbit Assessment: Severe eye irritation Method: OECD Test Guideline 405 Result: Irreversible effects on the eye

2,4,6-tris(dimethylaminomethyl)phenol: Species: Rabbit Assessment: Corrosive Method: Other guidelines **Result: Corrosive**

Respiratory or skin sensitisation

Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine: Exposure routes: Skin Species: Mouse Assessment: The product is a skin sensitiser, sub-category 1A. Method: OECD Test Guideline 429 Result: Causes sensitisation.

2,4,6-tris(dimethylaminomethyl)phenol: Exposure routes: Skin Species: Guinea pig Method: OECD Test Guideline 406 Result: Does not cause skin sensitisation.

Assessment:

No data available



according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

Version	Revision Date:	SDS Number:
1.2	10.11.2021	400001009725



Enriching lives through innovation

Date of last issue: 11.06.2018 Date of first issue: 01.03.2017

Print Date 09.01.2024

Germ cell mutagenicity

Components:

	ners, oligomeric reaction products with tall-oil fatty acids and
triethylenetetramine: Genotoxicity in vitro	: Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 487 Result: negative
	: Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
	: Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative
2,4,6-tris(dimethylaminometh	yl)phenol:
Genotoxicity in vitro	 Concentration: 5000 ug/plate Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
	: Concentration: 2500 ug/plate Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative
	: Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative
Genotoxicity in vivo	: No data available
Germ cell mutagenicity- Assessment	: No data available
Carcinogenicity No data available	
Carcinogenicity - Assessment	: No data available
Reproductive toxicity	
Components:	

according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

Version 1.2	Revision Date: 10.11.2021	SDS Number: 400001009725	Date of last issue: 11.06.2018 Date of first issue: 01.03.2017
			Print Date 09.01.2024
triethy	acids, C18-unsatd., din /lenetetramine: ts on fertility	: Species: Rat, m Application Rou	
2,4,6-	tris(dimethylaminometh	Species: Rat, m Application Rou Method: OECD	
	ts on foetal opment	: No data availab	le
•	oductive toxicity - ssment	: No data availab	le
No da	 single exposure ata available repeated exposure 		
No da	ata available		
Repe	ated dose toxicity		
Fatty triethy Speci NOAE Applic Expos	oonents: acids, C18-unsatd., din ylenetetramine: es: Rat, male and fema EL: 1000 cation Route: Ingestion sure time: 6 WeeksNun od: Subacute toxicity	ale	on products with tall-oil fatty acids and
Speci NOEL Applic Expos	tris(dimethylaminometh es: Rat, male and fema .: 15 mg/kg cation Route: Ingestion sure time: 1 032 hNuml od: Subacute toxicity	ale	

Repeated dose toxicity - : No data available Assessment

Aspiration toxicity

No data available

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Enriching lives through innovation



according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

/ersion .2	Revision Date: 10.11.2021	SDS Number: 400001009725	Date of last issue: 11.06.2018 Date of first issue: 01.03.2017	
			Print Date 09.01.2024	
Asse	ssment	considered to REACH A (EU) 2017/2	nce/mixture does not contain components to have endocrine disrupting properties according Article 57(f) or Commission Delegated regulation 2100 or Commission Regulation (EU) 2018/605 at % or higher	
Expe	rience with huma	n exposure		
Gene	ral Information:	No data available		
Inhala	ation:	No data available		
Skin	contact:	No data available		
Eye c	contact:	No data available		
Inges	tion:	No data available		
	cology, Metabolisr ata available	n, Distribution		
INO Ga				
	ological effects			
No da	ata available			
Furth	er information			
Inges	tion:	No data available		

SECTION 12: Ecological information

12.1 Toxicity

Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine:

Toxicity to fish	: LC50 (Brachydanio rerio (zebrafish)): 7,07 mg/l Exposure time: 96 h Test substance: Fresh water Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 7,07 mg/l Exposure time: 48 h Test Type: static test



according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

HUNTSMAN

Enriching lives through innovation

Version 1.2	Revision Date: 10.11.2021	SDS Number: 400001009725	Date of last issue: 11.06.2018 Date of first issue: 01.03.2017
			Print Date 09.01.2024
		Test substance Method: OECI	e: Fresh water D Test Guideline 202
Tox plai	vicity to algae/aquatic	Exposure time Test Type: sta Test substance	tic test
То>	cicity to microorganisms	Exposure time Test Type: sta Test substance	tic test
2,4	,6-tris(dimethylaminometh	yl)phenol:	
Тох	ticity to fish	: LC50 (Cyprinu Exposure time Test Type: sta Test substance	tic test
	icity to daphnia and other atic invertebrates	End point: mor Exposure time Test Type: sta Analytical mor	: 96 h tic test
Tox plaı	ricity to algae/aquatic nts	Exposure time Test Type: sta Analytical mon Test substance	tic test itoring: yes
		Exposure time Test Type: sta Analytical mon Test substance	tic test itoring: yes
40 0 D		•	

12.2 Persistence and degradability

Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine: Biodegradability : Inoculum: activated sludge

ability : Inoculum: activated sludge Result: Not readily biodegradable. Biodegradation: 0 - 70 % Exposure time: 74 d Method: OECD Test Guideline 301B

2,4,6-tris(dimethylaminomethyl)phenol:

Version

according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

Revision Date:

1.2	10.11.2021	400001009725	Date of first issue: 01.03.2017
			Print Date 09.01.2024
Bic	degradability	Concentration: Result: Not bio Biodegradation Exposure time:	ated sludge, non-adapted 2 mg/l degradable : 4 %
12.3 Bio	paccumulative poten	tial	
<u>Co</u>	mponents:		
	ty acids, C18-unsatd., thylenetetramine:	, dimers, oligomeric reac	tion products with tall-oil fatty acids and

SDS Number:

: log Pow: 10,34
hyl)phenol:
: Pow: >= 0,219 (21,5 °C)
log Pow: -0,66 (21,5 °C)
Method: OPPTS 830.7550

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher...

12.6 Endocrine disrupting properties

Product:		
Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher
12.7 Other adverse effects		
Product:		
Additional ecological information	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

:

13.1 Waste treatment methods

Product

Dispose of contents and container in accordance with all local, regional, national and international regulations. Do not dispose of waste into sewer.



Enriching lives through innovation

Date of last issue: 11.06.2018

according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B



Version 1.2	Revision Date: 10.11.2021	-	OS Number: 0001009725	Date of last issue: 11.06.2018 Date of first issue: 01.03.2017
				Print Date 09.01.2024
			Do not contamina chemical or used	ate ponds, waterways or ditches with container.
Conta	aminated packaging	:	Empty remaining Dispose of as un Do not re-use em	used product.
SECTION	N 14: Transport infor	nat	ion	
14.1 UN n	umber or ID number			
ADN		:	UN 3082	
ADR		:	UN 3082	
RID		:	UN 3082	
IMDO	;	:	UN 3082	
ΙΑΤΑ		:	UN 3082	
14.2 UN p	roper shipping name			
ADN		:	ENVIRONMENTA N.O.S. (polyamide resin)	ALLY HAZARDOUS SUBSTANCE, LIQUID,
ADR		:	ENVIRONMENT N.O.S. (polyamide resin)	ALLY HAZARDOUS SUBSTANCE, LIQUID,
RID		:	ENVIRONMENT N.O.S. (polyamide resin)	ALLY HAZARDOUS SUBSTANCE, LIQUID,
IMDG)	:	ENVIRONMENT N.O.S. (polyamide resin)	ALLY HAZARDOUS SUBSTANCE, LIQUID,
ΙΑΤΑ		:	Environmentally I (polyamide resin)	nazardous substance, liquid, n.o.s.
14.3 Tran	sport hazard class(es)			
ADN		:	9	
ADR		:	9	
RID		:	9	
IMDO	6	:	9	
ΙΑΤΑ		:	9	
14.4 Pack	ing group			
Class	ng group ification Code rd Identification Number s	:	III M6 90 9	

according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

10.11.2021

Revision Date:

SDS Number:

400001009725



Date of last issue: 11.06.2018 Date of first issue: 01.03.2017

Print Date 09.01.2024

ADR

Version

1.2

	ADN		
5	Environmental hazards		
	Labels	:	Miscellaneous
	Packing group	:	III
	(passenger aircraft) Packing instruction (LQ)	:	Y964
	Packing instruction	:	964
	IATA (Passenger)		
	Labels	:	Miscellaneous
	Packing group	:	III
	Packing instruction (LQ)	:	Y964
	Packing instruction (cargo aircraft)	:	964
	IATA (Cargo)		
	EmS Code	:	F-A, S-F
	Labels	÷	
	IMDG Packing group		Ш
	Labels	:	9
	Hazard Identification Number	:	90
	Packing group Classification Code	÷	III M6
	RID Deaking group		ш
	Tunnel restriction code	:	(-)
	Labels	÷	9
	Classification Code Hazard Identification Number	÷	M6 90
	Packing group	:	
	ADR		

14.5

ADN

Environmentally hazardous	:	yes
ADR Environmentally hazardous	:	yes
RID Environmentally hazardous	:	yes
IMDG Marine pollutant	:	yes
IATA (Passenger) Environmentally hazardous	:	yes
IATA (Cargo) Environmentally hazardous	:	yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

Version	Revision Date:
1.2	10.11.2021

SDS Number: 400001009725 Date of last issue: 11.06.2018 Date of first issue: 01.03.2017

Print Date 09.01.2024

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
REACH - I (Annex XI)	∟ist of substances subj∉ √)	ect to authorisation	: Not applicable	
	Candidate List of Subst or Authorisation (Article		: This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).	
		of the European Parliam dangerous substances. ENVIRONMENTAL HAZARDS	ent and of the Council on the control of	
Occupatio 461-3, Fra		49, 84		
protection	is classified for the : of the environment ent Code R511-9)	4511		
Take note	Other regulations: Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.			
-	•	t are reported in the fo	_	
DSL	:	All components of this	product are on the Canadian DSL	
AIIC	:	On the inventory, or in	compliance with the inventory	
NZIoC	:	On the inventory, or in	compliance with the inventory	
ENCS	:	On the inventory, or in	compliance with the inventory	
KECI	:	On the inventory, or in	compliance with the inventory	
PICCS	:	On the inventory, or in	compliance with the inventory	
IECSC	:	On the inventory, or in	compliance with the inventory	
TCSI	:	On the inventory, or in	compliance with the inventory	



umberu Dete

according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

Version	Revision Date:	SDS Number:	Date of last issue:
1.2	10.11.2021	400001009725	Date of first issue:

Print Date 09.01.2024

TSCA

: All substances listed as active on the TSCA inventory

Inventories

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SECTION 16: Other information

Full	text of	H-Statements
------	---------	---------------------

H302 H314 H315 H317 H318 H411	 Causes skin irritation. May cause an allergic s Causes serious eye data 	Causes severe skin burns and eye damage.		
Full text of other abbreviations				
Acute Tox. Aquatic Chronic Eye Dam. Skin Corr. Skin Irrit. Skin Sens.	 Acute toxicity Chronic aquatic toxicity Serious eye damage Skin corrosion Skin irritation Skin sensitisation 			
Further information				
Classification of the mixtur	re:	Classification procedure:		
Skin Irrit. 2	H315	Based on product data or assessment		
Eye Dam. 1	H318	Calculation method		
Skin Sens. 1	H317	Calculation method		
Aquatic Chronic 2	H411	Calculation method		

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.



Enriching lives through innovation

11.06.2018 01.03.2017

according to Regulation (EC) No. 1907/2006

ARALDITE® 1570 FST B

Version Revi 1.2 10.1

Revision Date: 10.11.2021

SDS Number: 400001009725 Date of last issue: 11.06.2018 Date of first issue: 01.03.2017

Print Date 09.01.2024

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.