

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 2954

Version 2.4      Revision Date: 14.10.2021      SDS Number: 400001010124      Date of last issue: 06.02.2020  
Date of first issue: 18.08.2015

Print Date 16.01.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : ARADUR® 2954  
REACH Registration Number : 01-2119497829-12  
Substance name : 2,2'-Dimethyl-4,4'-methylenebis(cyclohexylamine)  
CAS-No. : 6864-37-5  
EC-No. : 229-962-1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Hardener

ES1: Industrial, Formulation or re-packing  
ES2: Industrial, Formulation or re-packing  
ES3: Industrial, Intermediate  
ES4: Used as monomer at downstream industrial sites  
ES5: Industrial, Use in composites  
ES6: Industrial, Use in composites

#### 1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe)BVBA  
Address : Everslaan 45  
3078 Everberg  
Belgium  
Telephone : +41 61 299 20 41  
Telefax : +41 61 299 20 40  
E-mail address of person responsible for the SDS : Global\_Product\_EHS\_AdMat@huntsman.com

#### 1.4 Emergency telephone number

Emergency telephone number : Centres Antipoison et de Toxicovigilance:  
ANGERS: 02 41 48 21 21  
BORDEAUX: 05 56 96 40 80  
LILLE: 0 825 812 822  
LYON: 04 72 11 69 11  
MARSEILLE 04 91 75 25 25  
NANCY: 03 83 32 36 36  
PARIS: 01 40 05 48 48  
RENNES: 02 99 59 22 22  
STRASBOURG: 03 88 37 37 37  
TOULOUSE: 05 61 77 74 47  
EUROPE: +32 35 75 1234  
France ORFILA: +33(0)145425959  
ASIA: +65 6336-6011  
China: +86 20 39377888  
+86 532 83889090

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 2954

Version 2.4      Revision Date: 14.10.2021      SDS Number: 400001010124      Date of last issue: 06.02.2020  
Date of first issue: 18.08.2015

Print Date 16.01.2024

India: + 91 22 42 87 5333  
Australia: 1800 786 152  
New Zealand: 0800 767 437  
USA: +1/800/424.9300

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 2	H330: Fatal if inhaled.
Acute toxicity, Category 3	H311: Toxic in contact with skin.
Skin corrosion, Sub-category 1A	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - repeated exposure, Category 2, Liver, Kidney, Adrenal gland, Heart, Blood	H373: May cause damage to organs through prolonged or repeated exposure if swallowed.
Chronic aquatic toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H330	Fatal if inhaled.
H373	May cause damage to organs (Liver, Kidney, Adrenal gland, Heart, Blood) through prolonged or repeated exposure if swallowed.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

P260	Do not breathe mist or vapours.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 2954

Version 2.4      Revision Date: 14.10.2021      SDS Number: 400001010124      Date of last issue: 06.02.2020  
Date of first issue: 18.08.2015

Print Date 16.01.2024

### Response:

P303 + P361 + P353      IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310      IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310      IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P391      Collect spillage.

### Storage:

P403 + P233      Store in a well-ventilated place. Keep container tightly closed.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Substance name      : 2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine)

EC-No.      : 229-962-1

### Hazardous components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)	M-Factor, SCL, ATE
2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine)	6864-37-5 229-962-1	>= 90 - <= 100	

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 2954

Version 2.4      Revision Date: 14.10.2021      SDS Number: 400001010124      Date of last issue: 06.02.2020  
Date of first issue: 18.08.2015

Print Date 16.01.2024

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Treat symptomatically.  
Get medical attention if symptoms occur.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.  
Avoid inhalation, ingestion and contact with skin and eyes.  
No action shall be taken involving any personal risk or without suitable training.  
It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- If inhaled : Call a physician or poison control centre immediately.  
If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.  
Take victim immediately to hospital.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

#### 4.2 Most important symptoms and effects, both acute and delayed

None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 2954

Version 2.4      Revision Date: 14.10.2021      SDS Number: 400001010124      Date of last issue: 06.02.2020  
Date of first issue: 18.08.2015

Print Date 16.01.2024

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : Exercise caution when using a high volume water jet as it may scatter and spread fire

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.  
Evacuate personnel to safe areas.  
Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralise with acid.  
Soak up with inert absorbent material (e.g. sand, silica gel,

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 2954

Version	Revision Date:	SDS Number:	Date of last issue:
2.4	14.10.2021	400001010124	06.02.2020
			Date of first issue: 18.08.2015

Print Date 16.01.2024

acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapours/dust.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Prevent unauthorized access. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Keep in properly labelled containers.
- Advice on common storage : Do not store near acids.
- Recommended storage temperature : 2 - 40 °C
- Further information on storage stability : Stable under normal conditions.

### 7.3 Specific end use(s)

- Specific use(s) : See Annex to the Safety data sheet for additional information in the Exposure Scenario(s).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 2954

Version 2.4      Revision Date: 14.10.2021      SDS Number: 400001010124      Date of last issue: 06.02.2020  
Date of first issue: 18.08.2015

Print Date 16.01.2024

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine)	Workers	Inhalation	Long-term systemic effects	0,6 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	0,96 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	0,06 mg/kg

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine)	Fresh water	0,4 mg/l
	Marine water	0,04 mg/l
	Freshwater - intermittent	0,046 mg/l
	Sewage treatment plant	1,6 mg/l
	Fresh water sediment	17,4 mg/kg
	Marine sediment	1,74 mg/kg
	Soil	4,56 mg/kg

#### 8.2 Exposure controls

##### Personal protective equipment

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

##### Hand protection

Material : butyl-rubber  
Break through time : > 8 h

Material : Nitrile rubber  
Break through time : 10 - 480 min

Material : Ethyl Vinyl Alcohol Laminate (EVAL)  
Break through time : > 8 h

Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Take note of the information given by the

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 2954

Version	Revision Date:	SDS Number:	Date of last issue:
2.4	14.10.2021	400001010124	06.02.2020
			Date of first issue: 18.08.2015

Print Date 16.01.2024

producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

- Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines  
Recommended Filter type:  
Combined particulates and organic vapour type
- Filter type : Filter type A-P

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Physical state : liquid
- Colour : light yellow
- Odour : amine-like
- Odour Threshold : No data is available on the product itself.
- pH : 11 (20 °C)  
Concentration: 3,6 g/l
- Melting point : -7,1 °C
- Boiling point : 342 °C  
(1 013 hPa)
- Flash point : 173 °C  
Method: Pensky-Martens closed cup
- Flammability (solid, gas) : No data is available on the product itself.
- Upper explosion limit / Upper flammability limit : No data is available on the product itself.
- Lower explosion limit / Lower flammability limit : No data is available on the product itself.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 2954

Version	Revision Date:	SDS Number:	Date of last issue:
2.4	14.10.2021	400001010124	06.02.2020
			Date of first issue: 18.08.2015

Print Date 16.01.2024

Vapour pressure : 0,0008 hPa (20 °C)  
Method: Measured

Relative vapour density : No data is available on the product itself.

Relative density : No data is available on the product itself.

Density : 0,9456 g/cm<sup>3</sup> (20 °C)

Solubility(ies)  
Water solubility : 2,01 g/l (20 °C)  
Method: OECD Test Guideline 105

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-octanol/water : log Pow: 2,3 (23 °C)  
pH: 10  
log Pow: 1,8 (23 °C)  
pH: 9

Auto-ignition temperature : 275 °C

Decomposition temperature : No data is available on the product itself.

Viscosity  
Viscosity, dynamic : 152 mPa.s (20 °C)  
Method: OECD Test Guideline 114  
32,9 mPa.s (40 °C)  
Method: OECD Test Guideline 114

### 9.2 Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : Strong acids and strong bases  
Strong oxidizing agents

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 2954

Version 2.4      Revision Date: 14.10.2021      SDS Number: 400001010124      Date of last issue: 06.02.2020  
Date of first issue: 18.08.2015

Print Date 16.01.2024

### 10.6 Hazardous decomposition products

Hazardous decomposition products : carbon dioxide  
carbon monoxide  
Nitrogen oxides (NOx)

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Components:

2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine):

Acute oral toxicity : LD50 (Rat, male and female): 320 - 460 mg/kg  
Method: OECD Test Guideline 401

##### Components:

2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine):

Acute inhalation toxicity : LC50 (Rat, male and female): 0,42 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

##### Components:

2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine):

Acute dermal toxicity : LD50 (Rabbit, male and female): 200 - 400 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The component/mixture is toxic after single contact with skin.

Acute toxicity (other routes of administration) : No data available

#### Skin corrosion/irritation

##### Components:

2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine):

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: Causes burns.

#### Serious eye damage/eye irritation

##### Components:

2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine):

Species: Rabbit  
Exposure time: 24 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 2954

Version 2.4      Revision Date: 14.10.2021      SDS Number: 400001010124      Date of last issue: 06.02.2020  
Date of first issue: 18.08.2015

Print Date 16.01.2024

Assessment: Corrosive  
Method: OECD Test Guideline 405  
Result: Corrosive

### Respiratory or skin sensitisation

#### Components:

2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine):  
Test Type: Maximisation Test  
Exposure routes: Skin  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.

Assessment: No data available

### Germ cell mutagenicity

#### Components:

2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine):  
Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

: Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

: Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : No data available

Germ cell mutagenicity-Assessment : No data available

### Carcinogenicity

No data available

Carcinogenicity - Assessment : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 2954

Version 2.4      Revision Date: 14.10.2021      SDS Number: 400001010124      Date of last issue: 06.02.2020  
Date of first issue: 18.08.2015

Print Date 16.01.2024

### Reproductive toxicity

#### Components:

2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine):

Effects on fertility : Species: Rat, male and female  
Application Route: Oral  
Dose: 0, 15, 50 and 100 mg/kg/day  
Frequency of Treatment: 7 days/week  
General Toxicity - Parent: No observed adverse effect level:  
15 mg/kg body weight  
General Toxicity F1: No observed adverse effect level: 15  
mg/kg body weight  
Method: OECD Test Guideline 422

#### Components:

2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine):

Effects on foetal development : Species: Rat  
Application Route: Oral  
Dose: 5, 15 and 45 mg/kg bw /day  
Frequency of Treatment: 7 days/week  
General Toxicity Maternal: No observed adverse effect level: 5  
mg/kg body weight  
Developmental Toxicity: No observed adverse effect level: 45  
mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Reproductive toxicity - Assessment : No data available

### STOT - single exposure

No data available

### STOT - repeated exposure

#### Components:

2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine):

Exposure routes: Ingestion

Target Organs: Liver, Kidney, Adrenal gland, Heart, Blood

Assessment: May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine):

Species: Rat, male and female

NOEC: 12

Application Route: Inhalation

Test atmosphere: vapour

Number of exposures: 5 days/week

Method: OECD Test Guideline 413

Species: Rat, male and female

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 2954

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2020
2.4	14.10.2021	400001010124	Date of first issue: 18.08.2015

Print Date 16.01.2024

NOAEL: 2,5 mg/kg  
Application Route: oral (gavage)  
Exposure time: 3 months Number of exposures: 5 days/week  
Dose: 2.5, 12, 60 mg/kg bw/day  
Method: OECD Test Guideline 408  
Target Organs: Liver, Blood, Kidney, Adrenal gland, Heart

Repeated dose toxicity - Assessment : No data available

### Aspiration toxicity

No data available

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

### Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

### Toxicology, Metabolism, Distribution

No data available

### Neurological effects

No data available

### Further information

Ingestion: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 2954

Version	Revision Date:	SDS Number:	Date of last issue:
2.4	14.10.2021	400001010124	06.02.2020
			Date of first issue: 18.08.2015

Print Date 16.01.2024

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine):

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): 22,4 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 4,57 mg/l  
Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Other): 7,9 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC20 (activated sludge): 160 mg/l  
Exposure time: 30 min  
Test Type: static test  
Method: ISO 8192

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 4 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Method: OECD Test Guideline 211

Ecotoxicology Assessment  
Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### 12.2 Persistence and degradability

#### Components:

2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine):

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

Inoculum: activated sludge  
Result: Not biodegradable  
Biodegradation: < 1 %  
Exposure time: 28 d  
Method: OECD Test Guideline 302B

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 2954

Version 2.4      Revision Date: 14.10.2021      SDS Number: 400001010124      Date of last issue: 06.02.2020  
Date of first issue: 18.08.2015

Print Date 16.01.2024

### 12.3 Bioaccumulative potential

#### Components:

2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine):

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Exposure time: 28 d  
Bioconcentration factor (BCF): < 60  
Test substance: Fresh water  
Method: flow-through test  
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 2,3 (23 °C)  
pH: 10  
Method: OECD Test Guideline 107

### 12.4 Mobility in soil

#### Components:

2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine):

Distribution among environmental compartments : Koc: 1195

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

### 12.7 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of contents and container in accordance with all local, regional, national and international regulations.  
Do not dispose of waste into sewer.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 2954

Version 2.4      Revision Date: 14.10.2021      SDS Number: 400001010124      Date of last issue: 06.02.2020  
Date of first issue: 18.08.2015

Print Date 16.01.2024

Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADN : UN 2922  
ADR : UN 2922  
RID : UN 2922  
IMDG : UN 2922  
IATA : UN 2922

#### 14.2 UN proper shipping name

ADN : CORROSIVE LIQUID, TOXIC, N.O.S.  
(cycloaliphatic polyamine)  
ADR : CORROSIVE LIQUID, TOXIC, N.O.S.  
(cycloaliphatic polyamine)  
RID : CORROSIVE LIQUID, TOXIC, N.O.S.  
(cycloaliphatic polyamine)  
IMDG : CORROSIVE LIQUID, TOXIC, N.O.S.  
(cycloaliphatic polyamine)  
IATA : Corrosive liquid, toxic, n.o.s.  
(cycloaliphatic polyamine)

#### 14.3 Transport hazard class(es)

ADN : 8  
ADR : 8  
RID : 8  
IMDG : 8  
IATA : 8

#### 14.4 Packing group

ADN  
Packing group : II  
Classification Code : CT1  
Hazard Identification Number : 86  
Labels : 8 (6.1)  
ADR  
Packing group : II  
Classification Code : CT1  
Hazard Identification Number : 86



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 2954

Version 2.4      Revision Date: 14.10.2021      SDS Number: 400001010124      Date of last issue: 06.02.2020  
Date of first issue: 18.08.2015

Print Date 16.01.2024

Labels : 8 (6.1)  
Tunnel restriction code : (E)

### RID

Packing group : II  
Classification Code : CT1  
Hazard Identification Number : 86  
Labels : 8 (6.1)

### IMDG

Packing group : II  
Labels : 8 (6.1)  
EmS Code : F-A, S-B

### IATA (Cargo)

Packing instruction (cargo aircraft) : 855  
Packing instruction (LQ) : Y840  
Packing group : II  
Labels : Corrosive, Toxic

### IATA (Passenger)

Packing instruction (passenger aircraft) : 851  
Packing instruction (LQ) : Y840  
Packing group : II  
Labels : Corrosive, Toxic

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

REACH - Candidate List of Substances of Very High : This product does not contain

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 2954

Version	Revision Date:	SDS Number:	Date of last issue:
2.4	14.10.2021	400001010124	06.02.2020
			Date of first issue: 18.08.2015

Print Date 16.01.2024

Concern for Authorisation (Article 59). substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

H2 ACUTE TOXIC

E2 ENVIRONMENTAL HAZARDS

Occupational Illnesses (R-461-3, France) : 49

Installations classified for the protection of the environment (Environment Code R511-9) : 4120, 4511

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AIIC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARADUR® 2954

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2020
2.4	14.10.2021	400001010124	Date of first issue: 18.08.2015

Print Date 16.01.2024

### Inventories

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

### 15.2 Chemical safety assessment

For further information see eSDS.

## SECTION 16: Other information

### Further information

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.

**ARADUR® 2954**

Version	Revision Date:	SDS Number:	Date of last issue: 06.02.2020
2.4	14.10.2021	400001010124	Date of first issue: 18.08.2015

Print Date 16.01.2024

**Annex to the Safety Data Sheet (eSDS)**