

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 1994/03/15 Revision date: 2020/01/02 Supersedes: 2016/11/03 Version: 9.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Substances

Trade name : Dicalite Milled Expanded Perlite / Dicalite Agents GPE / Dicalite Expanded Perlite_All grades

Chemical name : Perlite FC-No : 618-970-4 CAS-No. 93763-70-3 Product code 350/536

Type of product : Inorganic compounds Product group : Trade product

Relevant identified uses of the substance or mixture and uses advised against 1.2.

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Industrial/Professional use spec · Chemical Use of the substance/mixture Filtering and filling

Filter aid

Function or use category : Fillers

1.2.2. Uses advised against

Restrictions on use : Any other intended applications should be discussed with the manufacturer

Details of the supplier of the safety data sheet

Manufacturer

Dicalite Europe nv Scheepzatestraat 100

B-9000 Gent

Tel.: +32-9 250 95 50 Fax: +32-9 250 95 59

e-mail: sales@dicalite-europe.com website: www.dicalite-europe.com

SDS responsible:

Tim Neyt

Customer Service Manager

Tel.:+32-9 250 95 63 E-mail: sales@dicalite-europe.com

Emergency telephone number

Emergency number : +32 -9 250 95 50 (8.00-17.00) +32 477 424 783 (17.00-8.00) Mr. Tim Neyt

Company

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

Dust may cause mechanical irritation.

Label elements

According to EC directives or the corresponding national regulations there is no labelling obligation for this product.

Other hazards

Other hazards not contributing to the

classification

: Does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice and that precautions are taken to avoid the inhalation of dust. Dust may cause mechanical irritation. May cause irritation to the respiratory tract. May be slightly irritating to skin and eyes.

SDS Ref.: MSDS-01/E

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Version: 9.0

SECTION 3: Composition/information on ingredients

: Exempted from REACH regulation, Annex V Substance type

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dicalite Milled Expanded Perlite / Dicalite Agents GPE /Dicalite Expanded Perlite _All grades	(CAS-No.) 93763-70-3 (EC-No.) 618-970-4	≈ 100	Not classified

Comments : Silica, respirable crystalline

<0.1% fine fraction

Mixtures

Not applicable

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing.

First-aid measures after skin contact : Wash with water and soap as a precaution. Take off contaminated clothing and wash before

First-aid measures after eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub eyes, cornea damage possible. Obtain medical

attention if pain, blinking or redness persists. Consult an ophtalmologist if irritation persists.

First-aid measures after ingestion Rinse mouth out with water.

Most important symptoms and effects, both acute and delayed

Symptoms/effects : Dust may cause mechanical irritation.

Symptoms/effects after inhalation Cough.

Symptoms/effects after skin contact : Dust may cause mechanical irritation.

Symptoms/effects after eye contact : redness, pain, mild eye irritation. Mechanical irritation.

Indication of any immediate medical attention and special treatment needed

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : The product is not flammable. Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream.

Special hazards arising from the substance or mixture

Fire hazard : Not combustible. Explosion hazard : None known. Reactivity in case of fire : None known. Hazardous decomposition products in case of : None known.

2020/01/02

fire

Advice for firefighters

Precautionary measures fire : No special technical protective measures required. Approach from upwind.

Firefighting instructions Personal protection during fire fighting.

Protection during firefighting Measures in case of dust release. Wear self-contained breathing apparatus and protective suit

(see section 8)

Other information : Avoid dust formation.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures

Avoid dust formation. Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust). Concerning personal protective equipment to

SDS Ref.: MSDS-01/E

use, see section 8.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.1.1. For non-emergency personnel

Protective equipment : For further information refer to section 8: "Exposure controls/personal protection".

Measures in case of dust release : In case of dust production: keep upwind.

6.1.2. For emergency responders

Protective equipment : For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

No special technical protective measures required.

6.3. Methods and material for containment and cleaning up

For containment : Powdered form: no compressed air for pumping over. Dust binding agents. Collect all waste in

suitable and labelled containers and dispose according to local legislation.

Methods for cleaning up : Handling large quantities of product: Take up mechanically (sweeping, shovelling) and collect in

suitable container for disposal. Take up large spills with pump or vacuum.

Other information : Avoid dust formation. Avoid static electricity discharges.

6.4. Reference to other sections

Reference to other sections (8, 13). SECTION 7.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Use personal protective equipment as required. No specific measures are required if the

product is handled in accordance with the general rules of occupational hygiene and safety.

Version: 9.0

Precautions for safe handling

: Avoid contact with skin and eyes. Avoid dust formation. Ensure there is adequate ventilation.

Carry out operations in the open/under local exhaust/ventilation or with respiratory protection.

Refer to: Exposure guidelines. Handle in accordance with good industrial hygiene and safety

procedures.

Hygiene measures : Emergency eye wash fountains and safety showers should be available in the immediate

vicinity of any potential exposure. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking

and when leaving work. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Use grounded electrical/mechanical equipment. Emergency eye wash fountains and safety

showers should be available in the immediate vicinity of any potential exposure.

Storage conditions : All containers must be labelled to warn against exposure. Store in dry protected location to

prevent any moisture contact. Keep container tightly closed to avoid moisture absorption and

SDS Ref.: MSDS-01/E

contamination.

Incompatible products : Keep away from : Strong acids. Strong bases. Oxidizing agent. Reducing agent. Water.

Hydrofluoric Acid.

Heat and ignition sources : Protect from heat and direct sunlight.

Information on mixed storage : Odour agents.

Storage area : Keep container in a well-ventilated place.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Dicante Milieu Expanded Per	riile / Dicaille Agents GPE /Dicaille	e Expanded Periite_A	ii grades (93763-70-3)

EU IOELV TWA (mg/m³) 5 mg/m³ respirable dust;/10mg/m3; inhalable dust

European Union Legislation : Components with occupational exposure limits

8.2. Exposure controls

Appropriate engineering controls:

General exposure limit for inhalable particulate matter. Ventilation, local exhaust, or breathing protection.

Personal protective equipment:

Dust formation: dust mask. Dustproof clothing. In case of dust production: protective goggles. Gloves.

Hand protection:

Standard EN 388 - Protective gloves against mechanical risk. Barrier cream

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Eye protection:

In case of dust production: protective goggles. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure

Version: 9.0

Skin and body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust)

Respiratory protection:

Dust formation: dust mask. Wear a full face respirator conforming to EN136 with Type A/P2 filter or better



Thermal hazard protection:

No special technical protective measures required.

Environmental exposure controls:

Assure that emissions are compliant with all applicable air pollution control regulations.

Other information:

Do not breathe dust.

pН

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Powder.

Colour : White to off-white.

Odour : odourless.

Odour threshold : not applicable, odour not perceivable

Not applicable

pH solution 100 (5,5 - 9) g/l Relative evaporation rate (butylacetate=1) Not applicable Melting point Not applicable Freezing point Not applicable Boiling point : Not applicable Flash point Not applicable Auto-ignition temperature Not applicable Decomposition temperature Not applicable Flammability (solid, gas) Not applicable Not applicable Vapour pressure Relative vapour density at 20 °C Not applicable Relative density : No data available Density : 100 - 180 kg/m³ Solubility Water: Insoluble Log Pow Not applicable Viscosity, kinematic Not applicable Not applicable Viscosity, dynamic Explosive properties Not explosive. Oxidising properties Not applicable. **Explosive limits** : Not applicable

9.2. Other information

Softening point : >800 °C
Bulk density : Not determined

info@quick-msds.be

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: If necessary, information on other physical and chemical parameters is indicated in this section.

Version: 9 0

No further information available.. (Read the technical data sheet). Specifications and technical Additional information

informations on the product may be obtained by your dealer

SECTION 10: Stability and reactivity

Reactivity

Other properties

None under normal conditions.

Chemical stability

Stable under normal conditions of use.

Possibility of hazardous reactions

Polymerisation: none.

10.4. Conditions to avoid

Moisture

10.5. Incompatible materials

Oxidizing agent. Acids. Hydrofluoric Acid.

Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met) Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met) Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Additional information Silica dust (inert - but may irritate respiratory tract and eyes).

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)

pH: Not applicable

Additional information : Repeated or prolonged contact may cause slight irritation to the skin

Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)

pH: Not applicable

Additional information May cause slight irritation to eyes

Respiratory or skin sensitisation Not classified (Based on available data, the classification criteria are not met)

Additional information : May cause slight irritation

Germ cell mutagenicity Not classified (Based on available data, the classification criteria are not met) Carcinogenicity Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : Not classified (Conclusive but not sufficient for classification)

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Potential adverse human health effects and

symptoms

Other information

: Dust may cause mechanical irritation.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

SDS Ref.: MSDS-01/E

SECTION 12: Ecological information

Toxicity 12.1.

: Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008. Not Ecology - general expected to present a significant hazard under anticipated conditions of normal use.

: Not determined. Ecology - air

No data available on ecotoxicity. The product is not very soluble in water and can thus be Ecology - water removed from water mechanically in suitable effluent treatment plants. Avoid discharge of the

product as is into the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Version: 9 0

Hazardous to the aquatic environment, short-

term (acute)

: Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, longterm (chronic)

: Not classified (Based on available data, the classification criteria are not met)

12.2. Persistence and degradability

Dicalite Milled Expanded Perlite / Dicalite Agents GPE /Dicalite Expanded Perlite_All grades (93763-70-3)	
Persistence and degradability	Not applicable for inorganic substances.

12.3. **Bioaccumulative potential**

Dicalite Milled Expanded Perlite / Dicalite Agents GPE /Dicalite Expanded Perlite_All grades (93763-70-3)		
Log Pow	Not applicable	
Bioaccumulative potential	Low bioaccumulation potential.	

12.4. **Mobility in soil**

Dicalite Milled Expanded Perlite / Dicalite Agents GPE /Dicalite Expanded Perlite_All grades (93763-70-3)		
Mobility in soil	Not determined	

12.5. Results of PBT and vPvB assessment

No additional information available

Other adverse effects

Other adverse effects When used and handled according to specifications, the product does not have any harmful

effects according to our experience and the information provided to us.

Additional information Avoid undiluted product to come into sewer or superficial water

SECTION 13: Disposal considerations

Waste treatment methods

: Disposal must be done according to official regulations. Regional legislation (waste)

Waste treatment methods Collect all waste in suitable and labelled containers and dispose according to local legislation.

Sewage disposal recommendations Do not discharge into drains or the environment.

Uncontaminted packaging can be re-used. Dispose in a safe manner in accordance with Product/Packaging disposal recommendations

local/national regulations.

Additional information Handle uncleaned empty containers as full ones. Empty containers should be taken for

recycling, recovery or waste in accordance with local regulation.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID		
14.1. UN number	14.1. UN number					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.2. UN proper shippi	ng name					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.3. Transport hazard	class(es)					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.4. Packing group	14.4. Packing group					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.5. Environmental hazards						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
No supplementary information available						

14.6. Special precautions for user

- Overland transport

Not regulated

- Transport by sea

Not regulated

- Air transport

Not regulated

SDS Ref.: MSDS-01/E

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Version: 9.0

- Inland waterway transport

Not regulated

- Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Dicalite Milled Expanded Perlite / Dicalite Agents GPE /Dicalite Expanded Perlite_All grades is not on the REACH Candidate List

Dicalite Milled Expanded Perlite / Dicalite Agents GPE /Dicalite Expanded Perlite_All grades is not on the REACH Annex XIV List

Dicalite Milled Expanded Perlite / Dicalite Agents GPE /Dicalite Expanded Perlite _All grades is not subject to REGULATION (EU) No 649/2012 OF

THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Dicalite Milled Expanded Perlite / Dicalite Agents GPE /Dicalite Expanded Perlite _All grades is not subject to Regulation (ELI) No 2019/1021 of the

Dicalite Milled Expanded Perlite / Dicalite Agents GPE /Dicalite Expanded Perlite _All grades is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Other information, restriction and prohibition regulations

: If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product.

SDS Ref.: MSDS-01/E

15.1.2. National regulations

No additional information available

Users should ensure that they comply with any relevant local, provincial or national legislation.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Revised SDS according to Commission Regulation (EU) N°2015/830. Revision - See: *.

Section	Changed item	Change	Comments
1.1		Added	
2.3		Added	
8	EU Regulatory Information	Added	
11	Toxicological information	Added	
12.	Ecological information	Added	
13		Added	
15	National regulations	Added	

Abbreviations and acronyms:

ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DPD	Dangerous Preparations Directive 1999/45/EC
DSD	Dangerous Substances Directive 67/548/EEC
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
EC50	Median effective concentration
LOAEL	Lowest Observed Adverse Effect Level
IMDG	International Maritime Dangerous Goods
IATA	International Air Transport Association

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ccording to regula	version (EO) NO. 1907/2000 (NEAOT) with its amendment negulation (EO) 2019/000
IARC	International Agency for Research on Cancer
LC50	Median lethal concentration
LD50	Median lethal dose
TLM	Median Tolerance Limit
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
vPvB	Very Persistent and Very Bioaccumulative

Version: 9.0

Data sources : Manufacturer/Supplier. Authoring: Quick.MSDS Sprl - Belgium info@quickmsds.de +32 (0)

479 469 465.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging

and in line with the expectations of a professional user.

Other information : No further information available.

MSDS EU (REACH Annex II)_JBO

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS Ref.: MSDS-01/E