according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F

Enriching lives through innovation

Version	Revision Date:	SDS Number:	Date of last issue: 12.08.2021
2.0	01.12.2023	400001008618	Date of first issue: 06.11.2018

Print Date 23.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	: HARDENER HY 953 F	
Unique Formula Identifier (UFI)	: A516-H07H-9005-VQ6Y	
1.2 Relevant identified uses of the	e substance or mixture and uses advised against	
Use of the Substance/Mixture	: Hardener	
Recommended restrictions on use	: For industrial use only.	
1.3 Details of the supplier of the s	safety data sheet	
Company Address	 Huntsman Advanced Materials (Europe) BV Everslaan 45 3078 Everberg Belgium 	
Telephone Telefax	: +41 61 299 20 41 : +41 61 299 20 40	
E-mail address of person responsible for the SDS	: Global_Product_EHS_AdMat@huntsman.com	
1.4 Emergency telephone number	r	
Emergency telephone number	: Centres Antipoison et de Toxicovigilance: ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80 LILLE: 0 825 812 822 LYON: 04 72 11 69 11 MARSEILLE 04 91 75 25 25 NANCY: 03 83 32 36 36 PARIS: 01 40 05 48 48 RENNES: 02 99 59 22 22 STRASBOURG: 03 88 37 37 37 TOULOUSE: 05 61 77 74 47 EUROPE: $+32$ 35 75 1234 France ORFILA: $+33(0)145425959$ ASIA: $+65$ 6336-6011 China: $+86$ 20 39377888 +86 532 83889090 India: $+$ 91 22 42 87 5333 Australia: 1800 786 152 New Zealand: 0800 767 437 USA: $+1$ 800-424-9300	

according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F

Version	
2.0	

Revision Date: 01.12.2023

SDS Number: 400001008618



Enriching lives through innovation

Date of last issue: 12.08.2021 Date of first issue: 06.11.2018

Print Date 23.04.2024

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Skin irritation, Category 2	H315: Causes skin irritation.					
Serious eye damage, Category 1	H318: Causes serious eye damage.					
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.					
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.					

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard	pictograms



Signal word	:	Danger
-------------	---	--------

Hazard statements

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H412 Harmful to aquatic life with long lasting effects.

Prevention:

Precautionary statements : P261

2

- P261 Avoid breathing mist or vapours.P264 Wash skin thoroughly after handling.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/ eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

Hazardous components which must be listed on the label:

Fatty acids, C18-unsatd., dimers, polymers with oleic acid and triethylenetetramine 2,4,6-tris(dimethylaminomethyl)phenol Amines, polyethylenepoly-, triethylenetetramine fraction

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F

Version	Revision Date:
2.0	01.12.2023

SDS Number: 400001008618

Date of last issue: 12.08.2021 Date of first issue: 06.11.2018

Print Date 23.04.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concent ration (% w/w)
Fatty acids, C18-unsatd., dimers, polymers with oleic acid and triethylenetetramine	68154-62-1 Polymer	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 70 - < 90
2,4,6- tris(dimethylaminomethyl)phenol	90-72-2 202-013-9 603-069-00-0 01-2119560597-27	Acute Tox. 4; H302 Skin Corr. 1C; H314 Eye Dam. 1; H318	>= 5 - < 10
Amines, polyethylenepoly-, triethylenetetramine fraction	90640-67-8 292-588-2 01-2119487919-13	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 0,25 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection and use the recommended protective clothing If potential for exposure exists refer to Section 8 for specific personal protective equipment. Avoid inhalation, ingestion and contact with skin and eyes. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give



according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F



HARD	ENER HY 953 F					
Version 2.0	Revision Date: 01.12.2023		DS Number: 0001008618	Date of last issue: 12.08.2021 Date of first issue: 06.11.2018		
				Print Date 23.04.2024		
			mouth-to-mout	h resuscitation.		
lf inh	aled	:	If inhaled, remo Get medical at	ove to fresh air. tention if symptoms occur.		
In ca	se of skin contact	:	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.			
In ca	se of eye contact	:	Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.			
If swallowed		:	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.			
2 Most	important symptoms a	nd d	offects both ac	ute and delayed		
Risks		:	Causes skin irr	itation. allergic skin reaction.		
.3 Indica	ation of any immediate	me	dical attention a	and special treatment needed		
	tment	:	Treat symptom	-		
ECTIO	N 5: Firefighting mea	sur	es			
.1 Extin	guishing media					
	able extinguishing media	:	Water spray Alcohol-resista Carbon dioxide Dry chemical			
Unsu medi	uitable extinguishing a	:	Exercise caution when using a high volume water jet as it may scatter and spread fire			
.2 Speci	al hazards arising from	n the	e substance or	mixture		
Spec	ific hazards during ghting	:		n-off from fire fighting to enter drains or water		
Haza prode	ardous combustion ucts	:	Carbon oxides Nitrogen oxide	s (NOx)		

according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F

Version 2.0	Revision Date: 01.12.2023	SDS Number: 400001008618	Date of last issue: 12.08.2021 Date of first issue: 06.11.2018
			Print Date 23.04.2024
5.3 Advice for firefighters Special protective equipment : for firefighters		: Wear self-contai necessary.	ned breathing apparatus for firefighting if

Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions : Use personal protective equipment. Refer to protective measures listed in sections 7 and 8.				
6.2 Environmental precautions				
Environmental precautions :	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.			
6.3 Methods and material for containment and cleaning up				
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.			

6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes.
	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
	To avoid spills during handling keep bottle on a metal tray.



according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F



Enriching lives through innovation

Vers 2.0	sion	Revision Date: 01.12.2023		DS Number: 0001008618	Date of last issue: 12.08.2021 Date of first issue: 06.11.2018
					Print Date 23.04.2024
				Dispose of rinse v regulations.	water in accordance with local and national
		on protection against d explosion	:	Normal measures	s for preventive fire protection.
	Hygien	e measures	:		ot eat or drink. When using do not smoke. re breaks and at the end of workday.
7.2	Conditi	ons for safe storage,	inc	luding any incom	patibilities
		ements for storage and containers	:	place. Containers	ghtly closed in a dry and well-ventilated which are opened must be carefully t upright to prevent leakage. Keep in properly rs.
	Advice	on common storage	:	For incompatible SDS.	materials please refer to Section 10 of this
	Recom temper	mended storage rature	:	2 - 40 °C	
		r information on e stability	:	Stable under norr	nal conditions.
7.3	Specific	c end use(s)			
	Specifi	c use(s)	:	No data available	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2,4,6- tris(dimethylaminomet hyl)phenol	Workers	Inhalation	Long-term systemic effects	0,53 mg/m3
	Workers	Inhalation	Acute systemic effects	2,1 mg/m3
	Workers	Dermal	Long-term systemic effects	0,150 mg/kg
	Workers	Dermal	Acute systemic effects	0,600 mg/kg
	Consumers	Inhalation	Long-term systemic effects	0,130 mg/m3
	Consumers	Inhalation	Acute systemic effects	0,130 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,075 mg/kg

according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F

Version	
2.0	

Revision Date: 01.12.2023

SDS Number: 400001008618

Date of last issue: 12.08.2021 Date of first issue: 06.11.2018

Print Date 23.04.2024

	Consumers	Dermal	Acute systemic effects	0,075 mg/kg
	Consumers	Oral	Long-term systemic effects	0,075 mg/kg
Amines, polyethylenepoly-, triethylenetetramine fraction	Workers	Inhalation	Long-term systemic effects	0,54 mg/m3
	Consumers	Inhalation	Long-term systemic effects	0,096 mg/m3
	Consumers	Oral	Long-term systemic effects	14 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2,4,6-	Fresh water	0,046 mg/l
tris(dimethylaminomethyl)phenol		
	Marine water	0,005 mg/l
	Remarks:Assessment Factors	
	Sewage treatment plant	0,262 mg/l
	Remarks: Assessment Factors	
	Freshwater - intermittent	0,46 mg/l
	Soil	0,025 mg/kg
Amines, polyethylenepoly-,	Fresh water	0,027 mg/l
triethylenetetramine fraction		
	Marine water	0,003 mg/l
	Sewage treatment plant	0,13 mg/l
	Fresh water sediment	8,572 mg/kg dry
		weight (d.w.)
	Marine sediment	0,857 mg/kg dry
		weight (d.w.)
	Soil	1,25 mg/kg dry
		weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Hand protection		
Material Break through time		butyl-rubber > 8 h
Material Break through time	-	Nitrile rubber 10 - 480 min
Material Break through time		Ethyl Vinyl Alcohol Laminate (EVAL) > 8 h
Remarks	:	Chemical-resistant, impervious gloves complying with an



according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F

HUNTSMAN

Enriching lives through innovation

Version 2.0	Revision Date: 01.12.2023	SDS Number: 400001008618	Date of last issue: 12.08.2021 Date of first issue: 06.11.2018
			Print Date 23.04.2024
		chemical product necessary. The discussed with t The selected pro specifications of EN 374 derived replaced if there breakthrough. T producer concer	ard should be worn at all times when handling cts if a risk assessment indicates this is suitability for a specific workplace should be he producers of the protective gloves. otective gloves have to satisfy the Regulation (EU) 2016/425 and the standard from it. Gloves should be discarded and is any indication of degradation or chemical ake note of the information given by the rning permeability and break through times, rorkplace conditions (mechanical strain, act).
Skin	and body protection		ning otection according to the amount and the dangerous substance at the work place.
Resp	iratory protection	ventilation is pro that exposures a	protection unless adequate local exhaust ovided or exposure assessment demonstrates are within recommended exposure guidelines ild conform to EN 143
Fi	lter type	: Particulates type	ə (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: light brown
Odour	: amine-like
Odour Threshold	: No data is available on the product itself.
Melting point/freezing point	: No data is available on the product itself.
Boiling point	: > 200 °C
Flammability (solid, gas)	: No data is available on the product itself.
Lower explosion limit / Lower flammability limit	: No data is available on the product itself.
Upper explosion limit / Upper flammability limit	: No data is available on the product itself.
Flash point	: > 100 °C Method: Pensky-Martens closed cup

according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F

Version 2.0	Revision Date: 01.12.2023	SDS Number: 400001008618	Date of last issue: 12.08.2021 Date of first issue: 06.11.2018
			Print Date 23.04.2024
Auto	-ignition temperature	: No data is ava	ailable on the product itself.
Deco	omposition temperature	: >200 °C	
рН		: substance/mi	xture is non-soluble (in water)
Visc Vi	osity scosity, dynamic	: 70 000 - 130	000 mPa.s (25 °C)
	bility(ies) /ater solubility	: practically ins	oluble (20 °C)
So	olubility in other solvents	: No data is ava	ailable on the product itself.
	tion coefficient: n- nol/water	: No data is ava	ailable on the product itself.
Vapo	our pressure	: < 0,003 hPa (20 °C)
Dens	sity	: 0,97 g/cm3 (2	0 °C)
Rela	tive density	: No data is ava	ailable on the product itself.
Rela	tive vapour density	: No data is ava	ailable on the product itself.
Parti	cle characteristics	: No data is ava	ailable on the product itself.

9.2 Other information

No data is available on the product itself.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid	: Strong acids
	Strong bases
	Strong oxidizing agents



according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F

Version	Revision Date:	SDS Number:
2.0	01.12.2023	400001008618



Enriching lives through innovation

Date of last issue: 12.08.2021 Date of first issue: 06.11.2018

Print Date 23.04.2024

None known.

10.6 Hazardous decomposition products

No decomposition if stored and	l ap	plied as directed.
Hazardous decomposition	:	carbon monoxide
products		carbon dioxide
		Nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Product:

<u>Product:</u>		
Acute oral toxicity	:	LD50 (Rat, male and female): > 5 000 mg/kg
Components:		
2,4,6-tris(dimethylaminomet	hyl)phenol:
Acute oral toxicity	:	LD50 (Rat, male and female): 2 169 mg/kg Method: OECD Test Guideline 401 Assessment: The component/mixture is low toxic after single ingestion.
Acute dermal toxicity	:	LD50 (Rat, male): > 1 ml/kg Assessment: The substance or mixture has no acute dermal toxicity
Amines, polyethylenepoly-,	trie	thylenetetramine fraction:
Acute oral toxicity	:	LD50 (Rat, male and female): 1 716,2 mg/kg Method: OECD Test Guideline 401 Assessment: The component/mixture is moderately toxic after single ingestion.
Acute dermal toxicity	:	LD50 (Rabbit, male and female): 1 465,4 mg/kg Method: OECD Test Guideline 402 Assessment: The component/mixture is moderately toxic after single contact with skin.
Skin corrosion/irritation Causes skin irritation. Product:		
Species		Rabbit
Assessment	:	Irritating to skin.

according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F

Version	Revision Date:	SDS Number:	Date of last issue: 12.08.2021		
2.0	01.12.2023	400001008618	Date of first issue: 06.11.2018		
			Print Date 23.04.2024		
Com	ponents:				
Fatty	acids, C18-unsatd.,	dimers, polymers wit	th oleic acid and triethylenetetramine:		
Asse	ssment	: Irritating to skir	۱.		
2,4,6	-tris(dimethylamino	methyl)phenol:			
Spec	ies	: Rabbit			
Meth		: OECD Test Gu	uideline 404		
Resu	lt	: Corrosive after	1 to 4 hours of exposure		
Spec	ies	: synthetic macro	: synthetic macromolecular bio-barrier		

Method:OECD Test Guideline 435Result:Corrosive after 1 to 4 hours of exposure

Amines, polyethylenepoly-, triethylenetetramine fraction:

Species Assessment Method Result	:	reconstructed human epidermis (RhE) Causes burns. OECD Test Guideline 435 Corrosive after 3 minutes to 1 hour of exposure
Species Assessment Method Result	:	Rabbit Causes burns. OECD Test Guideline 404 Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species	:	Rabbit
Assessment	:	Corrosive
Result	:	Corrosive

Components:

Fatty acids, C18-unsatd., dimers, polymers with oleic acid and triethylenetetramine:

Assessment	: Irritating to eyes.
------------	-----------------------

2,4,6-tris(dimethylaminomethyl)phenol:

Species	:	Rabbit
Assessment	:	Corrosive
Method	:	Other guidelines
Result	:	Corrosive

Amines, polyethylenepoly-, triethylenetetramine fraction:

Species	:	Rabbit
Assessment	:	Risk of serious damage to eyes.
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye



according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F

Version	Re
2.0	01

evision Date: .12.2023 SDS Number: 400001008618



Enriching lives through innovation

Date of last issue: 12.08.2021 Date of first issue: 06.11.2018

Print Date 23.04.2024

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Components:

Fatty acids, C18-unsatd., dimers, polymers with oleic acid and triethylenetetramine:

Assessment

: May cause sensitisation by skin contact.

2,4,6-tris(dimethylaminomethyl)phenol:

Exposure routes	:	Skin
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

Amines, polyethylenepoly-, triethylenetetramine fraction:

Exposure routes	:	Skin
Species	:	Guinea pig
Assessment	:	Probability or evidence of skin sensitisation in humans
Method	:	OECD Test Guideline 406
Result	:	Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Not classified due to lack of data.

Components:

2,4,6-tris(dimethylaminomethyl)phenol:

Concentration: 2500 ug/plate Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Amines, polyethylenepoly-, triethylenetetramine fraction:

Result: positive GLP: yes	Genotoxicity in vitro	
------------------------------	-----------------------	--

according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F



Enriching lives through innovation

Version 2.0	Revision Date: 01.12.2023	SDS Number: 400001008618	Date of last issue: 12.08.2021 Date of first issue: 06.11.2018
			Print Date 23.04.2024
Genoto	oxicity in vivo	Metabolic activ Method: OECD Result: negativ : Test Type: In v Species: Mous Cell type: Bone Application Roi Dose: 0 - 600 r	luman lymphocytes ation: with and without metabolic activation D Test Guideline 487 e ivo micronucleus test e (male and female) e marrow ute: Intraperitoneal injection mg/kg D Test Guideline 474

Carcinogenicity

Not classified due to lack of data.

Components:

Amines, polyethylenepoly-, triethylenetetramine fraction:

Species Application Route NOAEL Method Result	 Mouse, male Dermal >= 50 mg/kg bw/day OECD Test Guideline 451 negative
Species Application Route Exposure time NOAEL Method Result	 Mouse, male Dermal 104 weeks >= 20 mg/kg bw/day OECD Test Guideline 451 negative

Reproductive toxicity

Not classified due to lack of data.

Components:

2,4,6-tris(dimethylaminomethyl)phenol:

Effects on fertility	:	Species: Rat, male and female	
		Application Route: Oral	
		Method: OECD Test Guideline 422	
		Remarks: No significant adverse effects were reported	

Amines, polyethylenepoly-, triethylenetetramine fraction:

Effects on foetal development	 Test Type: Pre-natal Species: Rat Application Route: Oral Dose: 75/325/750 mg/kg bw/day Duration of Single Treatment: 10 d General Toxicity Maternal: NOAEL: >= 750 mg/kg body weight Developmental Toxicity: NOAEL: >= 750 mg/kg body weight Method: OECD Test Guideline 414 Result: No teratogenic effects
-------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F

Version	Revision Date:
2.0	01.12.2023

SDS Number: 400001008618



Enriching lives through innovation

Date of last issue: 12.08.2021 Date of first issue: 06.11.2018

Print Date 23.04.2024

	Test Type: Pre-natal Species: Rabbit Application Route: Dermal Dose: 5/50/125 mg/kg bw/day Duration of Single Treatment: 13 d General Toxicity Maternal: NOAEL: 50 mg/kg body weight Developmental Toxicity: NOAEL: >= 125 mg/kg body weight Method: OECD Test Guideline 414 Result: No teratogenic effects
Reproductive toxicity - Assessment	: The reprotoxic effects of Triethylenetetramine (TETA) are under further evaluation as part of the EU REACH program due in part to the aminoethyl ethanolamine (AEEA) content.
STOT - single exposure Not classified due to lack of da	ata.
STOT - repeated exposure	
Not classified due to lack of da	ata.
Repeated dose toxicity	
Components:	
2,4,6-tris(dimethylaminomet	thyl)phenol:
Species NOEL Application Route Exposure time Number of exposures Method	 Rat, male and female 15 mg/kg Ingestion 1 032 h 7 d Subacute toxicity
	triethylenetetramine fraction:
Species NOAEL Application Route Exposure time Number of exposures Dose Method Target Organs Remarks	 Rat, male and female 350 mg/kg Oral 28 d 7 d 100/350/1000 mg/kg bw/day OECD Test Guideline 407 Lungs Information given is based on data obtained from similar substances.
Species NOAEL Application Route Target Organs Remarks	 Dog, male and female 125 mg/kg Oral Lungs Information given is based on data obtained from similar substances.
Species NOAEL Application Route	 Dog, male and female 50 mg/kg Oral

according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F

Version 2.0	Revision Date: 01.12.2023	SDS Number: 400001008618	Date of last issue: 12.08.2021 Date of first issue: 06.11.2018	
			Print Date 23.04.2024	
Metho Remai	-	: Subchronic toxi : Information give substances.	city en is based on data obtained from similar	
Expos Dose Metho	L ation Route ure time d t Organs	: 50 mg/kg : Oral : 26 weeks : 50/175/600 mg. : OECD Test Gu : Lungs	Oral 26 weeks 50/175/600 mg/kg bw/day OECD Test Guideline 408 Lungs Information given is based on data obtained from similar	
	L ation Route ure time d	 Mouse, male ar 92 mg/kg, 600 p Oral 120/600/3000 p OECD Test Gu Information give substances. 	opm	

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution No data available

Neurological effects

No data available

Further information

No data available



according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F

Version	
2.0	

Revision Date: 01.12.2023

Enriching lives through innovation

Date of last issue: 12.08.2021 Date of first issue: 06.11.2018

Print Date 23.04.2024

SECTION 12: Ecological information

12.1 Toxicity Components: Fatty acids, C18-unsatd., dimers, polymers with oleic acid and triethylenetetramine: Ecotoxicology Assessment Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects. 2,4,6-tris(dimethylaminomethyl)phenol: Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 175 mg/l Exposure time: 96 h Test Type: static test Test substance: Fresh water Toxicity to daphnia and other : LC50 (Palaeomonetes vulgaris (Grass shrimp)): 718 mg/l aquatic invertebrates End point: mortality Exposure time: 96 h Test Type: static test Analytical monitoring: no Test substance: Marine water Toxicity to algae/aquatic ErC50 (Desmodesmus subspicatus (green algae)): 84 mg/l Exposure time: 72 h plants Test Type: static test Analytical monitoring: yes Test substance: Fresh water Method: OECD Test Guideline 201 NOEC (Desmodesmus subspicatus (green algae)): 6,25 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes Test substance: Fresh water Method: OECD Test Guideline 201 Amines, polyethylenepoly-, triethylenetetramine fraction: Toxicity to fish LC50 (Poecilia reticulata (guppy)): 570 mg/l Exposure time: 96 h Test Type: semi-static test Test substance: Fresh water Method: Directive 67/548/EEC, Annex V, C.1. LC50 (Leuciscus idus (Golden orfe)): 200 - 500 mg/l Exposure time: 96 h LC50 (Pimephales promelas (fathead minnow)): 330 mg/l End point: mortality Exposure time: 96 h Test Type: static test Test substance: Fresh water Method: Fish Acute Toxicity Test

according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F

HUNTSMAN

HARDENER HY 953 F								
Versio 2.0		Revision Date: 01.12.2023		0S Number: 0001008618	Date of last issue: 12.08.2021 Date of first issue: 06.11.2018			
					Print Date 23.04.2024			
	Toxicity to daphnia and other aquatic invertebrates		:	 EC50 (Daphnia magna (Water flea)): 31,1 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Test substance: Fresh water Method: Directive 67/548/EEC, Annex V, C.2. 				
	oxicity lants	to algae/aquatic	:	Exposure time: 72 Test Type: semi-s Test substance: F Method: OECD To	tatic test resh water est Guideline 201 m capricornutum (green algae)): 1,34 mg/l h tatic test resh water			
т	ōxicity	to microorganisms	:	NOEC (Bacteria): Exposure time: 28 Method: OECD To EC50 (Bacteria): Exposure time: 28 Method: OECD To EC50 (Bacteria): Exposure time: 2 Test Type: static to Test substance: F NOEC (Bacteria): Exposure time: 2 Test Type: static to Test Type: static to Test Type: static to Exposure time: 2	est Guideline 216 > 100 mg/l = h est Guideline 216 15,7 mg/l n est resh water 1,3 mg/l n est			
a	quatic	to daphnia and other invertebrates toxicity)	:	EC10: 1,9 mg/l Exposure time: 21 Species: Daphnia Test Type: semi-s Test substance: F Method: OECD Te	magna (Water flea) tatic test resh water			
	oxicity rganisr	to soil dwelling ns	:	Method: OECD To EC50: > 1 000 mg Exposure time: 56	o d etida (earthworms) est Guideline 222 J/kg o d etida (earthworms)			

according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F

HARDE	ENER HY 953 F				
Version 2.0	Revision Date: 01.12.2023	SDS Number: 400001008618	Date of last issue: 12.08.2021 Date of first issue: 06.11.2018		
			Print Date 23.04.2024		
Ecoto	oxicology Assessment				
Chror	nic aquatic toxicity	: Harmful to aqua	tic life with long lasting effects.		
12.2 Persi	stence and degradabil	ity			
Comp	oonents:				
2,4,6-	tris(dimethylaminome	thyl)phenol:			
Biode	gradability	 Test Type: aerobic Inoculum: activated sludge, non-adapted Concentration: 2 mg/l Result: Not biodegradable Biodegradation: 4 % Exposure time: 28 d Method: OECD Test Guideline 301D 			
	es, polyethylenepoly-, gradability	: Inoculum: activa	ited sludge		
		Result: Not read Biodegradation:	lily biodegradable. 0 %		
		Exposure time:	162 d Test Guideline 301D		
		Biodegradation: Related to: Diss Exposure time:	ited sludge rently biodegradable. 20 % olved organic carbon (DOC) 84 d Test Guideline 302A		
12.3 Bioad	ccumulative potential				
Comp	oonents:				
2,4,6-	tris(dimethylaminome	thyl)phenol:			
	ion coefficient: n- ol/water	: Pow: >= 0,219 (log Pow: -0,66 (Method: OPPTS	21,5 °C)		

Amines, polyethylenepoly-, triethylenetetramine fraction:

Partition coefficient: n-	:	log Pow: -2,08 - 2,90 (20 °C)
octanol/water		Method: QSAR

12.4 Mobility in soil

Components:

Amines, polyethylenepoly-, triethylenetetramine fraction:

Distribution among	:	Koc: 3162,28, log Koc: 3,5
environmental compartments		Method: OECD Test Guideline 106



18/23



according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F

Version 2.0	Revision Date: 01.12.2023	SDS Number: 400001008618	Date of last issue: 12.08.2021 Date of first issue: 06.11.2018			
			Print Date 23.04.2024			
12.5 Resu	Its of PBT and vPvB	assessment				
<u>Produ</u>	<u>ict:</u>					
Assessment		to be either pervisiter	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.			
12.6 Endo	crine disrupting pro	perties				
Produ	<u>ict:</u>					
Asses	sment	considered to to REACH Ar	e/mixture does not contain components have endocrine disrupting properties according cicle 57(f) or Commission Delegated regulation 00 or Commission Regulation (EU) 2018/605 at o or higher			
12.7 Other	adverse effects					
<u>Produ</u>	<u>ict:</u>					
Additio inform	onal ecological nation	unprofessiona	ntal hazard cannot be excluded in the event of al handling or disposal. uatic life with long lasting effects.			

13.1 Waste treatment methods

Product	:	Dispose of contents and container in accordance with all local, regional, national and international regulations. Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as dangerous goods
ADR	:	Not regulated as dangerous goods
RID	:	Not regulated as dangerous goods
IMDG	:	Not regulated as dangerous goods
ΙΑΤΑ	:	Not regulated as dangerous goods
14.2 UN proper shipping name		
UNRTDG	:	Not regulated as dangerous goods



according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F



/ersion 2.0	Revision Date: 01.12.2023	SDS Number: 400001008618	Date of last issue: 12.08.2021 Date of first issue: 06.11.2018
			Print Date 23.04.2024
ADN		: Not regulated as	s dangerous goods
ADR		: Not regulated as	s dangerous goods
RID		: Not regulated as	s dangerous goods
IMDG	i	: Not regulated as	s dangerous goods
ΙΑΤΑ		: Not regulated as	s dangerous goods
4.3 Trans	sport hazard class(es	3)	
ADN		: Not regulated as	s dangerous goods
ADR		: Not regulated as	s dangerous goods
RID		: Not regulated as	s dangerous goods
IMDG	i	: Not regulated as	s dangerous goods
ΙΑΤΑ		: Not regulated as	s dangerous goods
4.4 Pack	ing group		
ADN		: Not regulated as	s dangerous goods
ADR		: Not regulated as	s dangerous goods
RID		: Not regulated as	s dangerous goods
IMDG	i	: Not regulated as	s dangerous goods
ΙΑΤΑ	(Cargo)	: Not regulated as	s dangerous goods
ΙΑΤΑ	(Passenger)	: Not regulated as	s dangerous goods
14.5 Envir	onmental hazards		
Not re	egulated as dangerous	goods	
-	ial precautions for us pplicable	ser	
	ime transport in bulk pplicable for product a	according to IMO ins s supplied.	struments
SECTION	I 15: Regulatory inf	ormation	
I5.1 Safet nixture	y, health and enviror	mental regulations/le	egislation specific for the substance or
	CH - List of substances ex XIV)	subject to authorisatio	n : Not applicable
	CH - Candidate List of ern for Authorisation (A	Substances of Very Hig Article 59).	h : This product does not contain substances of very high concern.
the m		e manufacture, placing n dangerous substance < XVII)	
			If you intend to use this product as

according to Regulation (EC) No. 1907/2006

Revision Date:

HARDENER HY 953 F

Version

2.0	sion	01.12.2023	400001008618	Date of first issue: 12.08.2021 Date of first issue: 06.11.2018		
				Print Date 23.04.202		
				tattoo ink, please contact your vendor.		
	Europe control	o III: Directive 2012/18 an Parliament and of of major-accident haz ous substances.	the Council on the	Not applicable		
		ational Illnesses (R- France)	: Not applicable			
Other regulations: Take note of Directive 94/33/EC on the protection of young people at work or stricter regulations, where applicable.						
	The co DSL	omponents of this pr	-	in the following inventories: ts of this product are on the Canadian DSL		
	AIIC		: On the inventor	ory, or in compliance with the inventory		
	ENCS		: On the inventor	ory, or in compliance with the inventory		
	KECI		: On the inventor	ory, or in compliance with the inventory		
	PICCS		: Not in complia	nce with the inventory		
	IECSC		: On the inventor	ory, or in compliance with the inventory		
	TCSI		: On the inventor	ory, or in compliance with the inventory		

Inventories

TSCA

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

: All substances listed as active on the TSCA inventory

15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SDS Number:

Date of last issue: 12.08.2021 Date of first issue: 06 11 2018

024



according to Regulation (EC) No. 1907/2006

HARDENER HY 953 F

Version 2.0

Revision Date: 01.12.2023

SDS Number: 400001008618

HUNTSMAN

Enriching lives through innovation

Date of last issue: 12.08.2021 Date of first issue: 06.11.2018

Print Date 23.04.2024

SECTION 16: Other information

Full text of H-Statements				
H302 H312 H314 H315 H317 H318 H319 H412		Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye d Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Harmful to aquatic life with long lastir	-	
Full text of other abbreviati	ions			
Acute Tox. Aquatic Chronic Eye Dam. Eye Irrit. Skin Corr. Skin Irrit. Skin Sens.		Acute toxicity Long-term (chronic) aquatic hazard Serious eye damage Eye irritation Skin corrosion Skin irritation Skin sensitisation		
Further information				
Classification of the mixtur	e:	Classificat	tion procedure:	
Skin Irrit. 2	H31	5 Based on p	roduct data or assessment	
Eye Dam. 1	H31	8 Based on p	roduct data or assessment	
Skin Sens. 1	H31	7 Calculation	method	
Aquatic Chronic 3	H41	2 Calculation	method	

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

according to Regulation (EC) No. 1907/2006

HUNTSMAN

HARDENER HY 953 F

Version Revision 2.0 01.12.

Revision Date: 01.12.2023

SDS Number: 400001008618

Date of last issue: 12.08.2021 Date of first issue: 06.11.2018

Print Date 23.04.2024

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.