according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.08.2018 400001007832 Date of first issue: 08.08.2018

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ARALDITE® CW 1195-1 BD BLACK

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Component used for the manufacture of electrical insulation

Substance/Mixture parts

1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe)BVBA

Address : Everslaan 45

3078 Everberg

Belgium

Telephone : +41 61 299 20 41 Telefax : +41 61 299 20 40

E-mail address of person

responsible for the SDS

: Global\_Product\_EHS\_AdMat@huntsman.com

## 1.4 Emergency telephone number

Emergency telephone number : Centres Antipoison et de Toxicovigilance:

ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80

LILLE: 0 825 812 822 LYON: 04 72 11 69 11 MARSEILLE 04 91 75 25 25 NANCY: 03 83 32 36 36 PARIS: 01 40 05 48 48 RENNES: 02 99 59 22 22 STRASBOURG: 03 88 37 37 37 TOULOUSE: 05 61 77 74 47 EUROPE: +32 35 75 1234

France ORFILA: +33(0)145425959

ASIA: +65 6336-6011 China: +86 20 39377888 +86 532 83889090 India: + 91 22 42 87 5333

Australia: 1800 786 152 New Zealand: 0800 767 437 USA: +1/800/424.9300

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.08.2018 400001007832 Date of first issue: 08.08.2018

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Chronic aquatic toxicity, Category 3 H412: Harmful to aquatic life with long lasting

effects.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word : Warning

Hazard statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting

effects.

Precautionary statements : Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/

vapours/ spray.

P264 Wash skin thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face

protection.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

Hazardous components which must be listed on the label:

7-oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### **Hazardous components**

Chemical name	CAS-No.	Classification	Concent
	EC-No.		

according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.08.2018 400001007832 Date of first issue: 08.08.2018

	Index-No. Registration number		ration (% w/w)
7-oxabicyclo[4.1.0]hept-3- ylmethyl 7- oxabicyclo[4.1.0]heptane-3- carboxylate	2386-87-0 219-207-4 01-2119846133-44	Skin Sens. 1; H317	>= 20 - < 30
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxir ane	1675-54-3 216-823-5 603-073-00-2 01-2119456619-26	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 10 - < 20

For explanation of abbreviations see section 16.

Both 25068-38-6 and 1675-54-3 can be used to describe the epoxy resin which is produced through the reaction of Bisphenol A and Epichlorhydrin

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Treat symptomatically.

Get medical attention if symptoms occur.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

None known.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.08.2018 400001007832 Date of first issue: 08.08.2018

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

Carbon oxides

Halogenated compounds

Metal oxides

5.3 Advice for firefighters

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Specific extinguishing

methods

: No data is available on the product itself.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Fire residues and

contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.08.2018 400001007832 Date of first issue: 08.08.2018

#### 6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully

resealed and kept upright to prevent leakage. Keep in properly

labelled containers.

Advice on common storage : Strong acids

Strong bases

Strong oxidizing agents

Further information on

storage stability

: Stable under normal conditions.

7.3 Specific end use(s)

Specific use(s) : No data available

according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.08.2018 400001007832 Date of first issue: 08.08.2018

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

Contains no substances with occupational exposure limit values.

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2,2'-[(1- methylethylidene)bis(4, 1- phenyleneoxymethylen e)]bisoxirane	Workers	Dermal	Systemic effects, Short-term exposure	8,33 mg/kg bw/day
	Workers	Inhalation	Systemic effects, Short-term exposure	12,25 mg/m3
	Workers	Dermal	Systemic effects, Long-term exposure	8,33 mg/kg bw/day
	Workers	Inhalation	Systemic effects, Long-term exposure	12,25 mg/m3
	Consumers	Dermal	Systemic effects, Short-term exposure	3,571 mg/kg bw/day
	Consumers	Oral	Systemic effects, Short-term exposure	0,75 mg/kg bw/day
	Consumers	Dermal	Systemic effects, Long-term exposure	3,571 mg/kg bw/day
	Consumers	Oral	Systemic effects, Long-term exposure	0,75 mg/kg bw/day
iron manganese trioxide	Workers	Inhalation	Long-term local effects	10 mg/m3
7- oxabicyclo[4.1.0]hept- 3-ylmethyl 7- oxabicyclo[4.1.0]hepta ne-3-carboxylate	Workers	Dermal	Acute systemic effects	0,208 mg/kg
	Workers	Inhalation	Acute systemic effects	0,729 mg/m3
	Workers	Dermal	Long-term systemic effects	0,1 mg/kg
	Workers	Inhalation	Long-term systemic effects	0,4 mg/m3
	Consumers	Oral	Acute systemic effects	0,125 mg/kg
	Consumers	Inhalation	Acute systemic effects	0,2188 mg/m3
	Consumers	Oral	Long-term systemic effects	0,1 mg/kg
	Consumers	Inhalation	Long-term systemic effects	0,1 mg/m3
	Consumers	Dermal	Acute systemic	0,125 mg/kg

according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.08.2018 400001007832 Date of first issue: 08.08.2018

		effects	
Consumers	Dermal	Long-term systemic effects	0,1 mg/kg

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name		Environmental Compartment	Value	
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxira ne		Fresh water	0,006 mg/l	
Remarks:	Assessme	ent Factors		
		Marine water	0,0006 mg/l	
	Assessme	Assessment Factors		
		Freshwater - intermittent	0,018 mg/l	
	Assessme	Assessment Factors		
		Fresh water sediment	0,996 mg/kg	
	Equilibriur	Equilibrium method		
		Marine sediment	0,0996 mg/kg	
	Equilibriur	n method		
		Soil	0,196 mg/kg	
	Equilibrium method		·	
	•	Sewage treatment plant	10 mg/l	
Assessr		ent Factors		
	•	Secondary Poisoning	11 mg/kg	

# 8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

: Solvent-resistant gloves (butyl-rubber)

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material

Material : butyl-rubber Break through time : > 8 h

· ·

Material : Nitrile rubber

Break through time : 10 - 480 min

Material : Neoprene gloves

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.08.2018 400001007832 Date of first issue: 08.08.2018

Skin and body protection : Impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines

Filter type : Combined particulates and organic vapour type (A-P)

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance : paste

Colour : black

Odour : slight

Odour Threshold : No data is available on the product itself.

pH : 6 - 8 (20 °C)

Concentration: 500 g/l

Freezing point : No data is available on the product itself.

Melting point : No data is available on the product itself.

Boiling point : > 200 °C

Flash point : 240 °C

Method: Pensky-Martens closed cup, closed cup

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : No data is available on the product itself.

Burning rate : No data is available on the product itself.

Upper explosion limit / Upper

flammability limit

: No data is available on the product itself.

Lower explosion limit / Lower

flammability limit

: No data is available on the product itself.

Vapour pressure : < 0,001 hPa (20 °C)

Relative vapour density : No data is available on the product itself.

Relative density : No data is available on the product itself.

Density : 1,65 g/cm3 (23 °C)

according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.08.2018 400001007832 Date of first issue: 08.08.2018

Solubility(ies)

Water solubility : No data is available on the product itself.

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-

octanol/water

: No data is available on the product itself.

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : > 200 °C

Viscosity

Viscosity, dynamic : 50 000 - 120 000 mPa.s (20 °C)

Method: ISO 2555

Explosive properties : No data is available on the product itself.

Oxidizing properties : No data is available on the product itself.

#### 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

# 10.4 Conditions to avoid

Conditions to avoid : None known.

## 10.5 Incompatible materials

Materials to avoid : None known.

# 10.6 Hazardous decomposition products

Burning produces noxious and toxic fumes.

Carbon oxides

No hazardous decomposition products are known.

Hazardous decomposition : carbon dioxide products carbon monoxide

Halogenated compounds

aluminium oxide

according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

400001007832 1.0 08.08.2018 Date of first issue: 08.08.2018

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

**Acute toxicity** 

Acute oral toxicity - Product : LD50 (Rat): > 5 000 mg/kg

Acute inhalation toxicity : No data available

#### **Components:**

7-oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate: : LD50 (Rat, male and female): > 2 000 mg/kg Acute dermal toxicity

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Acute dermal toxicity : LD50 (Rat, male and female): > 2 000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Acute toxicity (other routes of : No data available

administration)

#### Skin corrosion/irritation

# **Components:**

7-oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species: Rabbit

Assessment: No skin irritation Method: OECD Test Guideline 404 Result: Normally reversible injuries

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit

Assessment: Mild skin irritant Method: OECD Test Guideline 404

Result: Irritating to skin.

#### Serious eye damage/eye irritation

#### Components:

7-oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species: Rabbit

Method: OECD Test Guideline 405

Result: No eye irritation

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit

according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.08.2018 400001007832 Date of first issue: 08.08.2018

Assessment: Mild eye irritant Method: OECD Test Guideline 405

Result: Irritating to eyes.

#### Respiratory or skin sensitisation

## **Product:**

Exposure routes: Skin Species: Guinea pig

Result: Causes sensitisation.

Assessment: No data available

## Germ cell mutagenicity

## **Components:**

7-oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Genotoxicity in vitro : Test Type: gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: positive

: Test Type: Ames test

Test system: Salmonella tryphimurium and E. coli

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: positive

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: positive

: Concentration: 0 - 5000 ug/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: positive

# **Components:**

7-oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Genotoxicity in vivo : Cell type: Somatic

Application Route: Intraperitoneal injection Method: Directive 67/548/EEC, Annex V, B.12.

Result: negative

Cell type: Somatic Application Route: Oral

according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.08.2018 400001007832 Date of first issue: 08.08.2018

Method: OECD Test Guideline 486

Result: negative

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vivo : Cell type: Germ

Application Route: Oral

Method: OECD Test Guideline 478

Result: negative

Cell type: Somatic Application Route: Oral Dose: 0 - 5000 mg/kg Method: OPPTS 870.5395

Result: negative

#### **Components:**

7-oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Germ cell mutagenicity: In vitro tests showed mutagenic effects which were not

Assessment observed with in vivo test.

Germ cell mutagenicity-

Assessment

: No data available

#### Carcinogenicity

# Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rat, male and female Application Route: Oral Exposure time: 24 month(s)

Dose: 15 mg/kg

Frequency of Treatment: 7 days/week Method: OECD Test Guideline 453

Result: negative

Species: Mouse, male Application Route: Dermal Exposure time: 24 month(s)

Dose: 0.1 mg/kg

Frequency of Treatment: 3 days/week Method: OECD Test Guideline 453

Result: negative

Species: Rat, female Application Route: Dermal Exposure time: 24 month(s)

Dose: 1 mg/kg

Frequency of Treatment: 5 days/week Method: OECD Test Guideline 453

Result: negative

according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.08.2018 400001007832 Date of first issue: 08.08.2018

Carcinogenicity - : No data available

Assessment

# Reproductive toxicity

# **Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane: Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

Dose: >750 milligram per kilogram

General Toxicity - Parent: No-observed-effect level: 540

mg/kg body weight

General Toxicity F1: No-observed-effect level: 540 mg/kg

body weight

Symptoms: No adverse effects Method: OECD Test Guideline 416

Result: No effects on fertility and early embryonic

development were detected.

#### Components:

7-oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Effects on foetal : Species: Rat, female development : Application Route: Oral

General Toxicity Maternal: No observed adverse effect level:

25 mg/kg body weight

Method: OECD Test Guideline 414 Result: No teratogenic effects

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit, female Application Route: Dermal

General Toxicity Maternal: No observed adverse effect level:

30 mg/kg body weight Method: Other guidelines Result: No teratogenic effects

Species: Rabbit, female Application Route: Oral

General Toxicity Maternal: No observed adverse effect level:

60 mg/kg body weight

Method: OECD Test Guideline 414 Result: No teratogenic effects

Species: Rat, female Application Route: Oral

General Toxicity Maternal: No observed adverse effect level:

180 mg/kg body weight

Method: OECD Test Guideline 414 Result: No teratogenic effects

Reproductive toxicity -

Assessment

: No data available

according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.08.2018 400001007832 Date of first issue: 08.08.2018

# STOT - single exposure

No data available

## STOT - repeated exposure

#### Components:

7-oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Exposure routes: Ingestion

Target Organs: Nasal inner lining

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated

exposure, category 2.

#### Repeated dose toxicity

#### Components:

7-oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species: Rat, male and female

NOAEL: 5 mg/kg

Application Route: Ingestion

Exposure time: 90 d Dose: 5, 50 & 500 mg/kg

Method: OECD Test Guideline 408

2,2'-[(1-methylethylidene)bis (4,1-phenyleneoxymethylene)] bis oxirane:

Species: Rat, male and female

NOAEL: 50 mg/kg

Application Route: Ingestion

Exposure time: 14 WeeksNumber of exposures: 7 d

Method: Subchronic toxicity

Species: Rat, male and female

NOEL: 10 mg/kg

Application Route: Skin contact

Exposure time: 13 WeeksNumber of exposures: 5 d

Method: Subchronic toxicity

Species: Mouse, male NOAEL: 100 mg/kg

Application Route: Skin contact

Exposure time: 13 WeeksNumber of exposures: 3 d

Method: Subchronic toxicity

Repeated dose toxicity - : No data available

Assessment

#### **Aspiration toxicity**

No data available

#### **Experience with human exposure**

General Information: No data available

according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.08.2018 400001007832 Date of first issue: 08.08.2018

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

**Neurological effects** 

No data available

**Further information** 

Ingestion: No data available

## **SECTION 12: Ecological information**

## 12.1 Toxicity

## **Components:**

7-oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l

Exposure time: 96 h

Test Type: flow-through test Test substance: Fresh water Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 40 mg/l

Exposure time: 48 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 202

Toxicity to algae : EbC50 (Selenastrum capricornutum (green algae)): 90 mg/l

Exposure time: 72 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 2000 mg/kg

Exposure time: 3 h

according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.08.2018 400001007832 Date of first issue: 08.08.2018

Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 209

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,5 mg/l

Exposure time: 96 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 2,7 mg/l

Exposure time: 48 h

Test Type: static test

Test substance: Fresh water

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 9,4 mg/l

Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: EPA-660/3-75-009

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l

Exposure time: 3 h Test Type: static test

Test substance: Fresh water

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

Exposure time: 21 d

: NOEC: 0,3 mg/l

Species: Daphnia magna (Water flea)

Test Type: semi-static test Test substance: Fresh water Method: OECD Test Guideline 211

## 12.2 Persistence and degradability

#### Components:

7-oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Biodegradability : Inoculum: activated sludge

Concentration: 30 mg/l Result: Readily biodegradable.

Biodegradation: 71 % Exposure time: 28 d

Method: OECD Test Guideline 301B

 $2,2'\hbox{-}[(1\hbox{-methylethylidene})\hbox{bis}(4,1\hbox{-phenyleneoxymethylene})]\hbox{bisoxirane:}$ 

Biodegradability : Inoculum: Sewage (STP effluent)

Concentration: 20 mg/l

Result: Not readily biodegradable.

Biodegradation: 5 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Stability in water : Degradation half life (DT50): 4,83 d (25 °C)

according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.08.2018 400001007832 Date of first issue: 08.08.2018

pH: 4

Method: OECD Test Guideline 111

Remarks: Fresh water

Degradation half life (DT50): 7,1 d (25 °C)

pH: 9

Method: OECD Test Guideline 111

Remarks: Fresh water

Degradation half life (DT50): 3,58 d (25 °C)

pH: 7

Method: OECD Test Guideline 111

Remarks: Fresh water

#### 12.3 Bioaccumulative potential

## Components:

7-oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Partition coefficient: n- : log Pow: 1,34 (20 °C)

octanol/water Method: OECD Test Guideline 107

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Bioaccumulation : Bioconcentration factor (BCF): 31

Remarks: Does not bioaccumulate.

Partition coefficient: n- : log Pow: 3,242 (25 °C)

octanol/water pH: 7,1

Method: OECD Test Guideline 117

## 12.4 Mobility in soil

## **Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Distribution among : Koc: 445

environmental compartments

## 12.5 Results of PBT and vPvB assessment

## **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

## 12.6 Other adverse effects

# Product:

Additional ecological

information

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.08.2018 400001007832 Date of first issue: 08.08.2018

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Dispose of as hazardous waste in compliance with local and

national regulations.

Dispose of contents/ container to an approved waste disposal

plant.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

# **SECTION 14: Transport information**

#### **IATA**

Not regulated as dangerous goods

#### **IMDG**

Not regulated as dangerous goods

#### ADR

Not regulated as dangerous goods

#### RID

Not regulated as dangerous goods

# 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: This product does not contain substances of very high concern

(Regulation (EC) No

1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

REACH - List of substances subject to authorisation -

Future sunset date

: Not applicable

Occupational Illnesses (R-

461-3, France)

: 51, 84

according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.08.2018 400001007832 Date of first issue: 08.08.2018

# Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

## The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On the inventory, or in compliance with the inventory

#### **Inventories**

AICS (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

## 15.2 Chemical safety assessment

## **SECTION 16: Other information**

#### **Full text of H-Statements**

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction. H319 : Causes serious eye irritation.

H411 : Toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

according to Regulation (EC) No. 1907/2006



# **ARALDITE® CW 1195-1 BD BLACK**

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.08.2018 400001007832 Date of first issue: 08.08.2018

Aquatic Chronic : Chronic aquatic toxicity

Eye Irrit. : Eye irritation
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

## **Further information**

Classification of the mixture: Classification procedure:

Skin Irrit. 2 H315 Calculation method
Eye Irrit. 2 H319 Calculation method
Skin Sens. 1 H317 Calculation method
Aquatic Chronic 3 H412 Calculation method

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.