according to Regulation (EC) No. 1907/2006



ARADUR® 1019 CH

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.08.2018 400001009074 Date of first issue: 20.08.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ARADUR® 1019 CH

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Hardener

Substance/Mixture

Recommended restrictions : For

on use

: For industrial use only.

1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe)BVBA

Address : Everslaan 45

3078 Everberg

Belgium

Telephone : +41 61 299 20 41 Telefax : +41 61 299 20 40

E-mail address of person responsible for the SDS

: Global Product EHS AdMat@huntsman.com

1.4 Emergency telephone number

Emergency telephone number : Centres Antipoison et de Toxicovigilance:

ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80 LILLE: 0 825 812 822 LYON: 04 72 11 69 11 MARSEILLE 04 91 75 25 25 NANCY: 03 83 32 36 36 PARIS: 01 40 05 48 48 RENNES: 02 99 59 22 22 STRASBOLIRG: 03 88 37 37 3

RENNES: 02 99 59 22 22 STRASBOURG: 03 88 37 37 37 TOULOUSE: 05 61 77 74 47 EUROPE: +32 35 75 1234

France ORFILA: +33(0)145425959

ASIA: +65 6336-6011 China: +86 20 39377888 +86 532 83889090 India: +91 22 42 87 5333

Australia: 1800 786 152 New Zealand: 0800 767 437 USA: +1/800/424.9300

according to Regulation (EC) No. 1907/2006



ARADUR® 1019 CH

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.08.2018 400001009074 Date of first issue: 20.08.2018

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Sub-category 1B H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

Precautionary statements : Prevention:

P261 Avoid breathing mist or vapours.

P280 Wear protective gloves/ protective clothing/

eye protection/ face protection.

Response:

NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off

immediately all contaminated clothing.

Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh

air and keep comfortable for breathing.

Immediately call a POISON

CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously

with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

Continue mising, immediately ca

POISON CENTER/doctor.

Hazardous components which must be listed on the label:

3-[[3-(dimethylamino)propyl]amino]propiononitrile

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine

according to Regulation (EC) No. 1907/2006



ARADUR® 1019 CH

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.08.2018 400001009074 Date of first issue: 20.08.2018

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concent ration (% w/w)
3-[[3-	69852-45-5	Skin Irrit. 2; H315	>= 70 -
(Dimethylamino)propyl]amino]pr	274-159-1	Eye Dam. 1; H318	< 90
opiononitrile	01-2120271349-49		
N'-(3-aminopropyl)-N,N-	10563-29-8	Acute Tox. 4; H302	>= 20 -
dimethylpropane-1,3-diamine	234-148-4	Skin Corr. 1A; H314	< 29,85
	01-2119970376-29	Skin Sens. 1B; H317	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Treat symptomatically.

Get medical attention if symptoms occur.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Immediate medical treatment is necessary as untreated

wounds from corrosion of the skin heal slowly and with

difficulty.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible

tissue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Keep respiratory tract clear. Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

according to Regulation (EC) No. 1907/2006



ARADUR® 1019 CH

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.08.2018 400001009074 Date of first issue: 20.08.2018

If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Specific extinguishing

methods

: No data is available on the product itself.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Fire residues and

contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

according to Regulation (EC) No. 1907/2006



ARADUR® 1019 CH

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.08.2018 400001009074 Date of first issue: 20.08.2018

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralise with acid.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label

precautions. Keep in properly labelled containers.

Advice on common storage : For incompatible materials please refer to Section 10 of this

SDS.

Recommended storage

temperature

: 2 - 40 °C

Further information on

storage stability

: Stable under normal conditions.

according to Regulation (EC) No. 1907/2006



ARADUR® 1019 CH

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.08.2018 400001009074 Date of first issue: 20.08.2018

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
N'-(3-aminopropyl)- N,N-dimethylpropane- 1,3-diamine	Workers	Inhalation	Long-term systemic effects	3,7 mg/m3
	Workers	Inhalation	Acute systemic effects	7,5 mg/m3
	Workers	Inhalation	Long-term local effects	3,7 mg/m3
	Workers	Inhalation	Acute local effects	7,5 mg/m3
	Workers	Dermal	Long-term systemic effects	0,67 mg/kg
	Consumers	Inhalation	Long-term systemic effects	0,65 mg/m3
	Consumers	Inhalation	Long-term local effects	0,65 mg/m3
	Consumers	Oral	Long-term systemic effects	0,2 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name		Environmental Compartment	Value		
N'-(3-aminopropyl)-N,N- dimethylpropane-1,3-diamine		Fresh water	9,2 μg/l		
Remarks:	Assessment Factors				
		Marine water	0,92 μg/l		
	Assessment Factors				
		Freshwater - intermittent	92 μg/l		
Assessment Factors					
		Sewage treatment plant	18,1 mg/l		
	Assessment Factors				
		Fresh water sediment	0,0336 mg/kg		
Equilibrium method					
		Marine sediment	0,00336 mg/kg		
	Equilibriun	n method			

according to Regulation (EC) No. 1907/2006



ARADUR® 1019 CH

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.08.2018 400001009074 Date of first issue: 20.08.2018

Soil 0,00132 mg/kg
Equilibrium method

8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines

Filter type : Organic vapour type (A)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : No data is available on the product itself.

Odour : amine-like

Odour Threshold : No data is available on the product itself.

pH : ca. 10 (20 °C)

Concentration: 500 g/l

Freezing point : No data is available on the product itself.

Melting point : No data is available on the product itself.

Boiling point : $> 200 \, ^{\circ}\text{C}$

Flash point : 105 °C

Method: Pensky-Martens closed cup

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : No data is available on the product itself.

according to Regulation (EC) No. 1907/2006



ARADUR® 1019 CH

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.08.2018 400001009074 Date of first issue: 20.08.2018

Burning rate : No data is available on the product itself.

Upper explosion limit / Upper

flammability limit

: No data is available on the product itself.

Lower explosion limit / Lower

flammability limit

: No data is available on the product itself.

Vapour pressure : 0,02 hPa (20 °C)

Relative vapour density : No data is available on the product itself.

Relative density : 0,89 (20 °C)

Density : 0,89 g/cm3 (20 °C)

Solubility(ies)

Water solubility : completely miscible (20 °C)

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-

octanol/water

: No data is available on the product itself.

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : > 185 °C

Viscosity

Viscosity, dynamic : 10 - 20 mPa.s (20 °C)

Explosive properties : No data is available on the product itself.

Oxidizing properties : No data is available on the product itself.

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : None known.

according to Regulation (EC) No. 1907/2006



ARADUR® 1019 CH

Version Revision Date: SDS Number: Date of last issue: -

400001009074 1.0 20.08.2018 Date of first issue: 20.08.2018

10.5 Incompatible materials

Materials to avoid : Strong acids

Strong bases

Strong oxidizing agents

10.6 Hazardous decomposition products

Carbon oxides

Burning produces noxious and toxic fumes.

Nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity - Product : Acute toxicity estimate : > 2 000 mg/kg

Method: Calculation method

: No data available Acute inhalation toxicity

Components:

3-[[3-(dimethylamino)propyl]amino]propiononitrile:

: LD50 (Rabbit, male and female): 4 500 mg/kg Acute dermal toxicity

LD50 (Rat, male and female): > 4 600 mg/kg

Method: OECD Test Guideline 402

Remarks: No mortality observed at this dose.

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Acute dermal toxicity : LD50 (Rat): Assessment: The substance or mixture has no

acute dermal toxicity

Acute toxicity (other routes of : No data available

administration)

Skin corrosion/irritation

Components:

3-[[3-(dimethylamino)propyl]amino]propiononitrile:

Species: Rabbit Exposure time: 24 h

Method: OECD Test Guideline 404

Result: Irritating to skin.

GLP: no

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Species: Rabbit

Assessment: Corrosive

according to Regulation (EC) No. 1907/2006



ARADUR® 1019 CH

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.08.2018 400001009074 Date of first issue: 20.08.2018

Method: OECD Test Guideline 404

Result: Corrosive

Serious eye damage/eye irritation

Components:

3-[[3-(dimethylamino)propyl]amino]propiononitrile:

Species: Rabbit

Method: OECD Test Guideline 405 Result: Risk of serious damage to eyes.

GLP: no

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Assessment: Severe eye irritation

Result: Corrosive

Respiratory or skin sensitisation

Components:

3-[[3-(dimethylamino)propyl]amino]propiononitrile:

Test Type: Maurer optimisation test

Exposure routes: Dermal

Species: Rat Result: negative

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Exposure routes: Skin Species: Guinea pig

Method: OECD Test Guideline 406

Result: The product is a skin sensitiser, sub-category 1B.

Assessment: No data available

Germ cell mutagenicity

Components:

3-[[3-(dimethylamino)propyl]amino]propiononitrile:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Concentration: 25, 75, 225, 675 and 2025 µg/0

Metabolic activation: with and without metabolic activation

Method: reverse mutation assay

Result: negative

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative

: Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

according to Regulation (EC) No. 1907/2006



ARADUR® 1019 CH

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.08.2018 400001009074 Date of first issue: 20.08.2018

Result: negative

: Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : No data available

Carcinogenicity

Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Species: Mouse, male Application Route: Dermal Exposure time: 20 month(s) Frequency of Treatment: 3 daily

Result: negative

Carcinogenicity - : No data available

Assessment

Reproductive toxicity

Components:

3-[[3-(dimethylamino)propyl]amino]propiononitrile:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

Dose: 0, 25,75 and 150 milligram per kilogram

General Toxicity - Parent: No observed adverse effect level:

150 mg/kg body weight

General Toxicity F1: No observed adverse effect level: 150

mg/kg body weight

General Toxicity F2: NOAEL: 150 mg/kg body weight

Method: This information is not available.

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Species: Rat, male and female Application Route: Oral

Application Route. Oral

Method: OECD Test Guideline 422

Result: Animal testing did not show any effects on fertility.

Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Effects on foetal : Species: Rat, male and female

development Application Route: Oral

General Toxicity Maternal: No observed adverse effect level:

15 mg/kg body weight

Developmental Toxicity: No observed adverse effect level: 15

mg/kg body weight

Embryo-foetal toxicity: No observed adverse effect level: 15

according to Regulation (EC) No. 1907/2006



ARADUR® 1019 CH

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.08.2018 400001009074 Date of first issue: 20.08.2018

mg/kg body weight

Method: OECD Test Guideline 422

Result: No effects on fertility and early embryonic

development were detected.

Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Reproductive toxicity - : No evidence of adverse effects on sexual function and fertility,

Assessment or on development, based on animal experiments.

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Repeated dose toxicity

Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Species: Rat, male and female

NOEC: 550

Application Route: Ingestion Test atmosphere: vapour

Exposure time: 3 WeeksNumber of exposures: 7 d

Method: Subchronic toxicity

Species: Mouse, male NOAEL: >= 56,3

Application Route: Skin contact

Exposure time: 20 hNumber of exposures: 3 d

Method: Chronic toxicity

Repeated dose toxicity - : No data available

Assessment

Aspiration toxicity

No data available

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

according to Regulation (EC) No. 1907/2006



ARADUR® 1019 CH

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.08.2018 400001009074 Date of first issue: 20.08.2018

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Ingestion: No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

3-[[3-(dimethylamino)propyl]amino]propiononitrile:

Toxicity to fish : NOEC (Oncorhynchus mykiss (rainbow trout)): >= 62 mg/l

End point: mortality
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other

aquatic invertebrates

: NOEC (Daphnia magna (Water flea)): 100 mg/l

Exposure time: 48 h
Test Type: static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 202

End point: Immobilization

GLP: yes

Toxicity to algae : EyC50 (Pseudokirchneriella subcapitata (algae)): 30 mg/l

Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

ErC50 (Pseudokirchneriella subcapitata (algae)): 62 mg/l

Exposure time: 72 h

according to Regulation (EC) No. 1907/2006



ARADUR® 1019 CH

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.08.2018 400001009074 Date of first issue: 20.08.2018

Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

NOEC (Pseudokirchneriella subcapitata (green algae)): 12,5

mg/l

Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

Toxicity to microorganisms : NOEC (activated sludge): 1 000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC50 (activated sludge): 6,6 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l

Exposure time: 96 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 9,2 mg/l

Exposure time: 48 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 202

Toxicity to algae : ErC50 (Selenastrum capricornutum (green algae)): 21 mg/l

Exposure time: 72 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Pseudomonas putida): 181 mg/l

Exposure time: 16 h
Test Type: static test
Test substance: Fresh water
Method: DIN 38 412 Part 8

12.2 Persistence and degradability

Components:

3-[[3-(dimethylamino)propyl]amino]propiononitrile:
Biodegradability : Test Type: aerobic

Inoculum: Domestic sewage

according to Regulation (EC) No. 1907/2006



ARADUR® 1019 CH

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.08.2018 400001009074 Date of first issue: 20.08.2018

Concentration: 100 mg/l

Result: Not readily biodegradable. Biodegradation: Measured 7 %

Related to: Biochemical oxygen demand

Exposure time: 28 d

Method: OECD Test Guideline 301F

Stability in water : Degradation half life (DT50): > 1 yr (25 °C)

pH: 4

Degradation half life (DT50): ca. 1 yr (25 °C)

pH: 7

Degradation half life: ca. 1 yr (25 °C)

9:Hq

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 100 % Exposure time: 28 d Method: ISO Method, other

12.3 Bioaccumulative potential

Components:

3-[[3-(dimethylamino)propyl]amino]propiononitrile: Partition coefficient: n- : log Pow: -0.47 (24 °C)

octanol/water Method: OECD Test Guideline 107

 $N'\hbox{-}(3\hbox{-aminopropyl})\hbox{-}N, N\hbox{-dimethylpropane-1,3-diamine:}$

Partition coefficient: n-

octanol/water

: log Pow: 0,5

log Pow: -0,56 (25 °C)

pH: 11,6

Method: OECD Test Guideline 107

12.4 Mobility in soil

Components:

3-[[3-(dimethylamino)propyl]amino]propiononitrile: Distribution among : log Koc: > 5

environmental compartments

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

according to Regulation (EC) No. 1907/2006



ARADUR® 1019 CH

Version Date of last issue: -Revision Date: SDS Number:

400001009074 1.0 20.08.2018 Date of first issue: 20.08.2018

12.6 Other adverse effects

Product:

Additional ecological

information

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Dispose of as hazardous waste in compliance with local and

national regulations.

Dispose of contents/ container to an approved waste disposal

plant.

Contaminated packaging : Empty remaining contents.

> Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

IATA

14.1 UN number : UN 2735

14.2 UN proper shipping

name

: Amines, liquid, corrosive, n.o.s.

(DIMETHYL DIPROPYL TRIAMINE)

14.3 Transport hazard : 8

class(es)

14.4 Packing group

: 11 : Corrosive Labels

Packing instruction (cargo

aircraft)

: 855

Packing instruction : 851

(passenger aircraft)

IMDG

14.1 UN number : UN 2735

14.2 UN proper shipping

name

: AMINES, LIQUID, CORROSIVE, N.O.S.

(DIMETHYL DIPROPYL TRIAMINE)

14.3 Transport hazard

class(es)

: 8

14.4 Packing group : 11 Labels 8

EmS Code : F-A, S-B

according to Regulation (EC) No. 1907/2006



ARADUR® 1019 CH

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.08.2018 400001009074 Date of first issue: 20.08.2018

14.5 Environmental hazards

Marine pollutant : no

ADR

14.1 UN number : UN 2735

14.2 UN proper shipping : AMINES, LIQUID, CORROSIVE, N.O.S.

name

(DIMETHYL DIPROPYL TRIAMINE)

14.3 Transport hazard : 8

class(es)

14.4 Packing group : II Labels : 8

14.5 Environmental hazards

Environmentally hazardous : no

RID

14.1 UN number : UN 2735

14.2 UN proper shipping : AMINES, LIQUID, CORROSIVE, N.O.S.

name

(DIMETHYL DIPROPYL TRIAMINE)

14.3 Transport hazard : 8

class(es)

14.4 Packing group : II Labels : 8

14.5 Environmental hazards

Environmentally hazardous : no

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: This product does not contain substances of very high concern

(Regulation (EC) No

1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation

(Annex XIV)

REACH - List of substances subject to authorisation -

Future sunset date

: Not applicable

: Not applicable

Occupational Illnesses (R-

461-3, France)

: Not applicable

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

according to Regulation (EC) No. 1907/2006



ARADUR® 1019 CH

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.08.2018 400001009074 Date of first issue: 20.08.2018

DSL : This product contains one or several components listed in the

Canadian NDSL.

AICS : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

TCSI : Not in compliance with the inventory

TSCA : On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction. H318 : Causes serious eye damage.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Eye Dam. : Serious eye damage
Skin Corr. : Skin corrosion
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

Further information

according to Regulation (EC) No. 1907/2006



ARADUR® 1019 CH

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.08.2018 400001009074 Date of first issue: 20.08.2018

Classification of the mixture: Classification procedure:

Skin Corr. 1B H314 Calculation method Eye Dam. 1 H318 Calculation method Skin Sens. 1 H317 Calculation method

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.