according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2019

 1.1
 05.07.2023
 400000009648
 Date of first issue: 20.12.2019

Print Date 30.01.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : XB 2253-1 HARDENER BD

Unique Formula Identifier

(UFI)

: 58QE-107A-M00G-6C3V

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Hardener

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe) BV

Address : Everslaan 45

3078 Everberg

Belgium

Telephone : +41 61 299 20 41 Telefax : +41 61 299 20 40

E-mail address of person

responsible for the SDS

: Global_Product_EHS_AdMat@huntsman.com

1.4 Emergency telephone number

Emergency telephone number : Centres Antipoison et de Toxicovigilance:

BORDEAUX: 05 56 96 40 80 LILLE: 0 825 812 822 LYON: 04 72 11 69 11 MARSEILLE 04 91 75 25 25 NANCY: 03 83 32 36 36 PARIS: 01 40 05 48 48 RENNES: 02 99 59 22 22 STRASBOURG: 03 88 37 37 37 TOULOUSE: 05 61 77 74 47 EUROPE: +32 35 75 1234

ANGERS: 02 41 48 21 21

France ORFILA: +33(0)145425959

ASIA: +65 6336-6011 China: +86 20 39377888 +86 532 83889090 India: + 91 22 42 87 5333

Australia: 1800 786 152 New Zealand: 0800 767 437 USA: +1 800-424-9300

according to Regulation (EC) No. 1907/2006



Enriching lives through innovation

XB 2253-1 HARDENER BD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2019

 1.1
 05.07.2023
 400000009648
 Date of first issue: 20.12.2019

Print Date 30.01.2024

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Sub-category 1B H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Long-term (chronic) aquatic hazard, H411: Toxic to aquatic life with long lasting effects.

Category 2

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :







Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Supplemental Hazard

Statements

EUH071

Corrosive to the respiratory tract.

Precautionary statements : **Prevention:**

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection/ hearing protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor. P391 Collect spillage.

Hazardous components which must be listed on the label:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and tetraethylenepentamine

m-phenylenebis(methylamine)

Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia 2,4,6-tris(dimethylaminomethyl)phenol

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2019

 1.1
 05.07.2023
 400000009648
 Date of first issue: 20.12.2019

Print Date 30.01.2024

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concent ration (% w/w)
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and tetraethylenepentamine	- - 01-2119972321-42	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Chronic 2; H411	>= 50 - < 70
m-phenylenebis(methylamine)	1477-55-0 216-032-5 01-2119480150-50	Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1B; H317 Aquatic Chronic 3; H412 EUH071 Acute toxicity estimate Acute oral toxicity: 930 mg/kg Acute inhalation toxicity (dust/mist): 1,34 mg/l	>= 25 - < 30
Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	- - 01-2119557899-12	Skin Corr. 1C; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 10 - < 20
Formaldehyde, polymer with N1,N1-dimethyl-1,3-propanediamine and phenol	445498-00-0 Polymer -	Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 2,5 - < 10

according to Regulation (EC) No. 1907/2006



Enriching lives through innovation

XB 2253-1 HARDENER BD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2019

 1.1
 05.07.2023
 400000009648
 Date of first issue: 20.12.2019

Print Date 30.01.2024

		Acute toxicity estimate Acute oral toxicity: 300,03 mg/kg	
2,4,6- tris(dimethylaminomethyl)phenol	90-72-2 202-013-9 603-069-00-0 01-2119560597-27	Acute Tox. 4; H302 Skin Corr. 1C; H314 Eye Dam. 1; H318	>= 1 - < 3

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Treat symptomatically.

Get medical attention if symptoms occur.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Avoid inhalation, ingestion and contact with skin and eyes.

No action shall be taken involving any personal risk or without

suitable training.

It may be dangerous to the person providing aid to give

mouth-to-mouth resuscitation.

If inhaled : Consult a physician after significant exposure.

If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Immediate medical treatment is necessary as untreated

wounds from corrosion of the skin heal slowly and with

difficulty.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible

tissue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2019

 1.1
 05.07.2023
 400000009648
 Date of first issue: 20.12.2019

Print Date 30.01.2024

Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

Exercise caution when using a high volume water jet as it may

scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

Carbon dioxide (CO2)
 Carbon monoxide

Carbon oxides

Nitrogen oxides (NOx)

Ammonia

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

Version Revision Date: SDS Number: Date of last issue: 20.12.2019
1.1 05.07.2023 400000009648 Date of first issue: 20.12.2019

Print Date 30.01.2024

Ensure adequate ventilation.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Repeated or prolonged skin contact may cause skin irritation

and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this

product.

Avoid formation of aerosol. Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Provide sufficient air exchange and/or exhaust in work rooms. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label

precautions. Keep in properly labelled containers.

Advice on common storage : For incompatible materials please refer to Section 10 of this

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

Version Revision Date: SDS Number: Date of last issue: 20.12.2019
1.1 05.07.2023 400000009648 Date of first issue: 20.12.2019

Print Date 30.01.2024

SDS.

Recommended storage

temperature

: 2 - 40 °C

Further information on

storage stability

: Stable under normal conditions.

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
m-	1477-55-0	VLCT (VLE)	0,1 mg/m3	FR VLE
phenylenebis(meth				
ylamine)				
Further information	Indicative exposure limits			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Reaction products of di-, tri- and tetra- propoxylated propane-1,2-diol with ammonia	Workers	Inhalation	Long-term systemic effects	5,29 mg/m3
	Workers	Dermal	Long-term systemic effects	2,5 mg/kg bw/day
m- phenylenebis(methyla mine)	Workers	Inhalation	Long-term systemic effects	1,2 mg/m3
	Workers	Inhalation	Long-term local effects	0,2 mg/m3
	Workers	Dermal	Long-term systemic effects	0,33 mg/kg
2,4,6- tris(dimethylaminomet hyl)phenol	Workers	Inhalation	Long-term systemic effects	0,53 mg/m3
	Workers	Inhalation	Acute systemic effects	2,1 mg/m3
	Workers	Dermal	Long-term systemic effects	0,150 mg/kg
	Workers	Dermal	Acute systemic effects	0,600 mg/kg
	Consumers	Inhalation	Long-term systemic effects	0,130 mg/m3

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2019

 1.1
 05.07.2023
 400000009648
 Date of first issue: 20.12.2019

Print Date 30.01.2024

Consumers	Inhalation	Acute systemic effects	0,130 mg/m3
Consumers	Dermal	Long-term systemic effects	0,075 mg/kg
Consumers	Dermal	Acute systemic effects	0,075 mg/kg
Consumers	Oral	Long-term systemic effects	0,075 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value	
Reaction products of di-, tri- and	Fresh water	0,015 mg/l	
tetra-propoxylated propane-1,2-			
diol with ammonia			
	Remarks: Assessment Factors		
	Marine water	0,014 mg/l	
	Remarks: Assessment Factors		
	Fresh water sediment	0,132 mg/kg dry	
		weight (d.w.)	
	Remarks:Equilibrium method		
	Marine sediment	0,125 mg/kg dry	
		weight (d.w.)	
	Remarks:Equilibrium method	1	
	Sewage treatment plant	7,5 mg/l	
	Remarks:Assessment Factors	1	
	Secondary Poisoning	6,93 mg/kg	
	Remarks:Assessment Factors		
	Freshwater - intermittent	0,15 mg/l	
	Remarks:Assessment Factors		
	Soil	0,018 mg/kg dry	
		weight (d.w.)	
	Remarks:Equilibrium method		
2,4,6-	Fresh water	0,046 mg/l	
tris(dimethylaminomethyl)phenol			
	Marine water	0,005 mg/l	
	Remarks:Assessment Factors	1	
	Sewage treatment plant	0,262 mg/l	
	Remarks:Assessment Factors	1	
	Freshwater - intermittent	0,46 mg/l	
	Soil	0,025 mg/kg	
m-phenylenebis(methylamine)	Fresh water	0,094 mg/l	
	Remarks:Assessment Factors		
	Marine water	0,009 mg/l	
	Remarks:Assessment Factors	<u></u>	
	Freshwater - intermittent	0,152 mg/l	
	Remarks:Assessment Factors	T	
	Sewage treatment plant	10 mg/l	
	Remarks:Assessment Factors	T	
	Fresh water sediment	12,4 mg/kg dry	
		weight (d.w.)	
	Remarks:Equilibrium method	T	
	Marine sediment	1,24 mg/kg dry	
		weight (d.w.)	
	Remarks:Equilibrium method		

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2019

 1.1
 05.07.2023
 400000009648
 Date of first issue: 20.12.2019

Print Date 30.01.2024

Soil 2,44 mg/kg
Remarks:Equilibrium method

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : butyl-rubber

Break through time : > 8 h

Material : Nitrile rubber Break through time : 10 - 480 min

Material : Ethyl Vinyl Alcohol Laminate (EVAL)

Break through time : > 8 h

Remarks : The selected protective gloves have to satisfy the

specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain,

duration of contact).

Skin and body protection : Impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines

Equipment should conform to EN 14387

Filter type : Combined particulates, ammonia/amines and organic vapour

type (AK-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : Clear

Odour : slight

Odour Threshold : No data is available on the product itself.

pH : substance/mixture is non-soluble (in water)

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2019

 1.1
 05.07.2023
 400000009648
 Date of first issue: 20.12.2019

Print Date 30.01.2024

Melting point/freezing point : No data is available on the product itself.

Boiling point : No data is available on the product itself.

Flash point : $> 200 \, ^{\circ}\text{C}$

Method: estimated

Flammability (solid, gas) : No data is available on the product itself.

Upper explosion limit / Upper

flammability limit

: No data is available on the product itself.

Lower explosion limit / Lower

flammability limit

: No data is available on the product itself.

Vapour pressure : No data is available on the product itself.

Relative vapour density : No data is available on the product itself.

Relative density : No data is available on the product itself.

Density : 0,97 g/cm3 (20 °C)

Solubility(ies)

Water solubility : insoluble, immiscible

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-

octanol/water

: No data is available on the product itself.

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : No data is available on the product itself.

Viscosity

Viscosity, dynamic : 50 mPa.s (25 °C)

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

Version Revision Date: SDS Number: Date of last issue: 20.12.2019
1.1 05.07.2023 400000009648 Date of first issue: 20.12.2019

Print Date 30.01.2024

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Hazardous decomposition : carbon dioxide

products carbon monoxide

Nitrogen oxides (NOx) ammonia, anhydrous

Aldehydes Ketones

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 2 000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and tetraethylenepentamine:

Acute oral toxicity : LD50 (Rat, female): > 2 000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral

toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2 000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

m-phenylenebis(methylamine):

Acute oral toxicity : LD50 (Rat, male and female): 930 mg/kg

Method: OECD Test Guideline 401

Acute toxicity estimate: 930 mg/kg Method: Calculation method

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

Version Revision Date: SDS Number: Date of last issue: 20.12.2019
1.1 05.07.2023 400000009648 Date of first issue: 20.12.2019

Print Date 30.01.2024

Acute inhalation toxicity : LC50 (Rat, male and female): ca. 1,34 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Acute toxicity estimate: 1,34 mg/l Test atmosphere: dust/mist Method: Calculation method

Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rat, male and female): > 3 100 mg/kg

Method: Other guidelines Symptoms: Necrosis, Erythema

Assessment: The substance or mixture has no acute dermal

toxicity

Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia:

Acute oral toxicity : LD50 (Rat, male and female): 2 885 mg/kg

Method: OECD Test Guideline 401

Assessment: The component/mixture is low toxic after single

ingestion.

Acute inhalation toxicity : LC50 (Rat, male and female): > 0,74 mg/l

Exposure time: 8 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit, male and female): 2 980 mg/kg

Method: OECD Test Guideline 402

Assessment: The component/mixture is low toxic after single

contact with skin.

Formaldehyde, polymer with N1,N1-dimethyl-1,3-propanediamine and phenol:

Acute oral toxicity : LD50 (Rat, female): > 300 - < 2 000 mg/kg

Method: OECD Test Guideline 423

GLP: yes

Acute toxicity estimate: 300,03 mg/kg

Method: Calculation method

2,4,6-tris(dimethylaminomethyl)phenol:

Acute oral toxicity : LD50 (Rat, male and female): 2 169 mg/kg

Method: OECD Test Guideline 401

Assessment: The component/mixture is low toxic after single

ingestion.

Acute dermal toxicity : LD50 (Rat, male): > 1 ml/kg

Assessment: The substance or mixture has no acute dermal

toxicity

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2019

 1.1
 05.07.2023
 400000009648
 Date of first issue: 20.12.2019

Print Date 30.01.2024

Skin corrosion/irritation

Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and tetraethylenepentamine:

Species : human skin Assessment : Irritant

Method : OECD Test Guideline 439

Result : Irritating to skin.

m-phenylenebis(methylamine):

Species : Rat

Assessment : Causes burns.

Method : Directive 67/548/EEC, Annex V, B.4.

Result : Corrosive after 3 minutes to 1 hour of exposure

Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia:

Species : Rabbit

Assessment : Corrosive, category 1C - where responses occur after

exposures between 1 hour and 4 hours and observations up

to 14 days.

Method : OECD Test Guideline 404

Result : Corrosive after 1 to 4 hours of exposure

2,4,6-tris(dimethylaminomethyl)phenol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Corrosive after 1 to 4 hours of exposure

Species : synthetic macromolecular bio-barrier

Method : OECD Test Guideline 435

Result : Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and tetraethylenepentamine:

Species : Rabbit

Assessment : Severe eye irritation

Method : OECD Test Guideline 405

Result : Irreversible effects on the eye

m-phenylenebis(methylamine):

Assessment : Risk of serious damage to eyes.
Result : Risk of serious damage to eyes.

Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia:

Species : Rabbit

Assessment : Risk of serious damage to eyes.

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

Version Revision Date: SDS Number: Date of last issue: 20.12.2019
1.1 05.07.2023 400000009648 Date of first issue: 20.12.2019

Print Date 30.01.2024

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

2,4,6-tris(dimethylaminomethyl)phenol:

Species : Rabbit
Assessment : Corrosive
Method : Other guidelines

Result : Corrosive

Respiratory or skin sensitisation

Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and tetraethylenepentamine:

Exposure routes : Skin Species : Mouse

Assessment : The product is a skin sensitiser, sub-category 1A.

Method : OECD Test Guideline 429
Result : Causes sensitisation.

m-phenylenebis(methylamine):

Exposure routes : Skin Species : Mouse

Assessment : Probability or evidence of low to moderate skin sensitisation

rate in humans

Method : OECD Test Guideline 429

Result : Probability or evidence of low to moderate skin sensitisation

rate in humans

GLP : yes

Assessment : Harmful if swallowed or if inhaled., Causes severe skin burns

and eye damage., Corrosive to the respiratory tract.

May cause an allergic skin reaction.

2,4,6-tris(dimethylaminomethyl)phenol:

Exposure routes : Skin Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and tetraethylenepentamine:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Metabolic activation: with and without metabolic activation

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2019

 1.1
 05.07.2023
 400000009648
 Date of first issue: 20.12.2019

Print Date 30.01.2024

Method: OECD Test Guideline 476

Result: negative

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative

m-phenylenebis(methylamine):

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative GLP: yes

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

GLP: yes

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse (male and female)

Cell type: Bone marrow Application Route: Oral Exposure time: single dose Dose: 750 mg/kg body weight Method: OECD Test Guideline 474

Result: negative GLP: yes

Germ cell mutagenicity-

Assessment

Tests on bacterial or mammalian cell cultures did not show mutagenic effects., Animal testing did not show any mutagenic

effects.

Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella tryphimurium and E. coli

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2019

 1.1
 05.07.2023
 400000009648
 Date of first issue: 20.12.2019

Print Date 30.01.2024

Result: negative

Test Type: gene mutation test

Result: negative

GLP: yes

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse (male and female)

Cell type: Bone marrow Application Route: Oral

Dose: 125/250/500 mg/kg bw/day Method: OECD Test Guideline 474

Result: negative

Formaldehyde, polymer with N1,N1-dimethyl-1,3-propanediamine and phenol:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: yes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative GLP: yes

2,4,6-tris(dimethylaminomethyl)phenol:

Genotoxicity in vitro : Concentration: 5000 ug/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Concentration: 2500 ug/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and tetraethylenepentamine:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Method: OECD Test Guideline 422

m-phenylenebis(methylamine):

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2019

 1.1
 05.07.2023
 400000009648
 Date of first issue: 20.12.2019

Print Date 30.01.2024

Effects on fertility : Test Type: Reproduction / Developmental Toxicity Screening

Test

Species: Rat, male and female

Application Route: Oral

Dose: 0, 50, 150 and 450 mg/kg

General Toxicity - Parent: NOEL: 50 - 150 mg/kg body weight

General Toxicity F1: NOEL: 450 mg/kg body weight

Method: OECD Test Guideline 421

Result: No effects on fertility and early embryonic

development were detected.

GLP: yes

Effects on foetal development

Test Type: Pre-natal Species: Rat, female Strain: Sprague-Dawley Application Route: Oral

Dose: 0, 30, 100, 300 mg/kg milligram per kilogram

Duration of Single Treatment: 15 d Frequency of Treatment: 1 daily

General Toxicity Maternal: NOAEL: 100 mg/kg body weight Developmental Toxicity: NOAEL: 300 mg/kg body weight

Method: OECD Test Guideline 414

Result: No effects on fertility and early embryonic

development were detected.

Reproductive toxicity -

Assessment

No evidence of adverse effects on sexual function and fertility,

or on development, based on animal experiments.

Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia:

Effects on fertility : Test Type: Reproduction / Developmental Toxicity Screening

Test

Species: Rat, male and female Application Route: Dermal

Dose: 3/10/30 milligram per kilogram

General Toxicity - Parent: NOAEL: 30 mg/kg body weight General Toxicity F1: NOAEL: 30 mg/kg body weight

Method: OECD Test Guideline 421

Result: Animal testing did not show any effects on fertility.

Species: Rat, male and female

Application Route: Oral

Dose: 0/50/150/450 milligram per kilogram

General Toxicity - Parent: NOAEL: 150 mg/kg body weight General Toxicity F1: NOAEL: 150 mg/kg body weight

Method: OECD Test Guideline 443

Test Type: Reproduction / Developmental Toxicity Screening

Test

Species: Rat, male and female

Application Route: Oral

Dose: 0/75/150/300/600 mg/kg bw/d

General Toxicity - Parent: NOAEL: 150 mg/kg body weight General Toxicity F1: NOAEL: 600 mg/kg body weight

Method: OECD Test Guideline 421

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

Version Revision Date: SDS Number: Date of last issue: 20.12.2019
1.1 05.07.2023 400000009648 Date of first issue: 20.12.2019

Print Date 30.01.2024

Effects on foetal development

Test Type: Pre-natal Species: Rabbit, female Application Route: Oral

Dose: 15/50/115 milligram per kilogram Duration of Single Treatment: 23 d

General Toxicity Maternal: NOAEL: 50 mg/kg body weight Developmental Toxicity: NOAEL: 115 mg/kg body weight

Method: OECD Test Guideline 414

Test Type: Pre-natal Species: Rat, female Application Route: Oral

Dose: 0/40/125/350 milligram per kilogram

Duration of Single Treatment: 13 d

General Toxicity Maternal: NOAEL: 350 mg/kg body weight Developmental Toxicity: NOAEL: 350 mg/kg body weight

Method: OECD Test Guideline 414

2,4,6-tris(dimethylaminomethyl)phenol:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Method: OECD Test Guideline 422

Remarks: No significant adverse effects were reported

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Repeated dose toxicity

Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and tetraethylenepentamine:

Species : Rat, male and female

NOAEL : 1000 mg/kg
Application Route : Ingestion
Exposure time : 6 Weeks
Number of exposures : 7 d

Method : Subacute toxicity

m-phenylenebis(methylamine):

Species : Rat, male and female

NOEL : 150 mg/kg Application Route : oral (gavage)

Exposure time : 28 d

Number of exposures : 7 days/week

Dose : 0, 10, 40, 150 and 600 mg/kg/d Method : OECD Test Guideline 407

GLP : yes

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2019

 1.1
 05.07.2023
 400000009648
 Date of first issue: 20.12.2019

Print Date 30.01.2024

Species : Rat, male and female

NOEC : 0,6 mg/m3
Application Route : Inhalation
Exposure time : 13 weeks 6 h
Number of exposures : 5 days/week

Dose : 0, 0.64, 5.1, 31 mg/m3 Method : OECD Test Guideline 413

GLP : yes Target Organs : Lungs

Repeated dose toxicity -

Assessment

: Harmful if swallowed or if inhaled., Causes severe skin burns

and eye damage., Corrosive to the respiratory tract.

No adverse effect has been observed in chronic toxicity tests.

Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia:

Species : Rat, male and female NOAEL : >= 250 mg/kg/d Application Route : Dermal

Exposure time : Dermal : Dermal : 90 days 6 h : 5 days/week

Dose : 0/50/80/250 mg/kg bw/day Method : OECD Test Guideline 411

2,4,6-tris(dimethylaminomethyl)phenol:

Species : Rat, male and female

NOEL : 15 mg/kg Application Route : Ingestion Exposure time : 1 032 h Number of exposures : 7 d

Method : Subacute toxicity

Aspiration toxicity

No data available

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2019

 1.1
 05.07.2023
 400000009648
 Date of first issue: 20.12.2019

Print Date 30.01.2024

Further information

No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and tetraethylenepentamine:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 7,07 mg/l

Exposure time: 96 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 5,18 mg/l

Exposure time: 48 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Selenastrum capricornutum (green algae)): 2,63 mg/l

Exposure time: 72 h Test Type: static test

Test substance: Fresh water
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : 721 mg/l

Exposure time: 3 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 209

m-phenylenebis(methylamine):

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): 87,6 mg/l

End point: mortality
Exposure time: 96 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 15,2 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes Test substance: Fresh water Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic : ErC50 (Selenastrum capricornutum (green algae)): 32,1 mg/l

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

Version Revision Date: SDS Number: Date of last issue: 20.12.2019 400000009648 1.1 05.07.2023 Date of first issue: 20.12.2019

Print Date 30.01.2024

plants Exposure time: 72 h

> Test Type: static test Analytical monitoring: yes Test substance: Fresh water Method: OECD Test Guideline 201

GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 10,5 mg/l

Exposure time: 72 h Test Type: static test Analytical monitoring: yes Test substance: Fresh water Method: OECD Test Guideline 201

GLP: yes

Toxicity to microorganisms EC50 (activated sludge): > 1 000 mg/l

> Exposure time: 0,5 h Test Type: static test Analytical monitoring: no Test substance: Fresh water Method: OECD Test Guideline 209

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

(Chronic toxicity)

NOEC: 4,7 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test Analytical monitoring: yes Test substance: Fresh water Method: OECD Test Guideline 211

GLP: yes

Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia:

Toxicity to fish EC50 (Oncorhynchus mykiss (rainbow trout)): > 15 mg/l

> End point: mortality Exposure time: 96 h Test Type: semi-static test Test substance: Fresh water Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 80 mg/l

Exposure time: 48 h Test Type: static test Test substance: Fresh water

Method: OECD Test Guideline 202

EC50 (Acartia tonsa): 418,34 mg/l

Exposure time: 48 h Test Type: static test

Test substance: Marine water

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): 15 mg/l

Exposure time: 72 h Test Type: static test

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2019

 1.1
 05.07.2023
 400000009648
 Date of first issue: 20.12.2019

Print Date 30.01.2024

Test substance: Fresh water Method: OECD Test Guideline 201

NOECr (Selenastrum capricornutum (green algae)): 0,32 mg/l

Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 201

IC50 (Skeletonema costatum (marine diatom)): 141,72 mg/l

Exposure time: 72 h Test Type: static test

Test substance: Marine water

Method: ISO 10253

ErC10 (Skeletonema costatum (marine diatom)): 33,34 mg/l

Exposure time: 72 h Test Type: static test

Test substance: Marine water

Method: ISO 10253

Toxicity to microorganisms : EC50 (activated sludge): 750 mg/l

Exposure time: 3 h Test Type: static test

Method: OECD Test Guideline 209

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Formaldehyde, polymer with N1,N1-dimethyl-1,3-propanediamine and phenol:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 40 mg/l

Exposure time: 96 h
Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 24 mg/l

Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EC50 (Selenastrum capricornutum (green algae)): > 219 ugl

Exposure time: 72 h
Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 201

GLP: yes

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2019

 1.1
 05.07.2023
 400000009648
 Date of first issue: 20.12.2019

Print Date 30.01.2024

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

2,4,6-tris(dimethylaminomethyl)phenol:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 175 mg/l

Exposure time: 96 h Test Type: static test

Test substance: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Palaeomonetes vulgaris (Grass shrimp)): 718 mg/l

End point: mortality
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Test substance: Marine water

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 84 mg/l

Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 6,25 mg/l

Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 201

12.2 Persistence and degradability

Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and tetraethylenepentamine:

Biodegradability : Inoculum: activated sludge

Result: Not readily biodegradable.

Biodegradation: 0 - 70 % Exposure time: 74 d

Method: OECD Test Guideline 301B

m-phenylenebis(methylamine):

Biodegradability : Test Type: aerobic

Inoculum: activated sludge, non-adapted

Concentration: 14,2 mg/l

Result: Not readily biodegradable.

Biodegradation: 49 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Test substance: Fresh water

GLP: yes

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

Version Revision Date: SDS Number: Date of last issue: 20.12.2019 05.07.2023 400000009648 1.1 Date of first issue: 20.12.2019

Print Date 30.01.2024

Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia:

Biodegradability Test Type: aerobic

Inoculum: Mixture

Result: Not biodegradable Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Stability in water Degradation half life (DT50): 12 Months (25 °C)

pH: 6,5

Method: No information available.

Remarks: Fresh water

Formaldehyde, polymer with N1,N1-dimethyl-1,3-propanediamine and phenol:

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 3 % Exposure time: 28 d

Method: OECD Test Guideline 301A

2,4,6-tris(dimethylaminomethyl)phenol:

Biodegradability Test Type: aerobic

Inoculum: activated sludge, non-adapted

Concentration: 2 mg/l Result: Not biodegradable Biodegradation: 4 % Exposure time: 28 d

Method: OECD Test Guideline 301D

12.3 Bioaccumulative potential

Components:

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and

tetraethylenepentamine:

Bioaccumulation Bioconcentration factor (BCF): 2,14

Remarks: Bioaccumulation is unlikely.

m-phenylenebis(methylamine):

Partition coefficient: nlog Pow: 0,18 (25 °C) octanol/water

pH: 10,3 - 10,4

Method: OECD Test Guideline 107

GLP: yes

Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia:

: Pow: 22,09 (25 °C) Partition coefficient: noctanol/water log Pow: 1,34 (25 °C)

Formaldehyde, polymer with N1,N1-dimethyl-1,3-propanediamine and phenol:

Partition coefficient: n-Pow: 6,47 (20 °C) log Pow: 0,81 (20 °C) octanol/water

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2019

 1.1
 05.07.2023
 400000009648
 Date of first issue: 20.12.2019

Print Date 30.01.2024

Method: OECD Test Guideline 107

GLP: yes

2,4,6-tris(dimethylaminomethyl)phenol:

Partition coefficient: n- \odot : Pow: >= 0,219 (21,5 °C) octanol/water log Pow: -0,66 (21,5 °C) Method: OPPTS 830.7550

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher

12.7 Other adverse effects

Product:

Additional ecological

information

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2019

 1.1
 05.07.2023
 400000009648
 Date of first issue: 20.12.2019

Print Date 30.01.2024

ADN : UN 1760
ADR : UN 1760
RID : UN 1760
IMDG : UN 1760
IATA : UN 1760

14.2 UN proper shipping name

ADN : CORROSIVE LIQUID, N.O.S.

(M-XYLYLENE DIAMINE)

ADR : CORROSIVE LIQUID, N.O.S.

(M-XYLYLENE DIAMINE)

RID : CORROSIVE LIQUID, N.O.S.

(M-XYLYLENE DIAMINE)

IMDG : CORROSIVE LIQUID, N.O.S.

(M-XYLYLENE DIAMINE)

IATA : Corrosive liquid, n.o.s.

(M-XYLYLENE DIAMINE)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 8
ADR : 8
RID : 8
IMDG : 8
IATA : 8

14.4 Packing group

ADN

Packing group : II
Classification Code : C9
Hazard Identification Number : 80
Labels : 8

ADR

Packing group : II
Classification Code : C9
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : (E)

RID

Packing group : II
Classification Code : C9
Hazard Identification Number : 80
Labels : 8

IMDG

Packing group : II

according to Regulation (EC) No. 1907/2006



Enriching lives through innovation

XB 2253-1 HARDENER BD

Version Revision Date: SDS Number: Date of last issue: 20.12.2019 05.07.2023 400000009648 1.1 Date of first issue: 20.12.2019

Print Date 30.01.2024

Labels 8

EmS Code F-A, S-B

IATA (Cargo)

Packing instruction (cargo 855

aircraft)

Packing instruction (LQ) Y840 : Packing group

Labels Corrosive

IATA (Passenger)

Packing instruction 851

(passenger aircraft)

Packing instruction (LQ) Y840 Packing group Ш

Labels Corrosive

14.5 Environmental hazards

ADN

Environmentally hazardous yes

ADR

Environmentally hazardous yes

Environmentally hazardous : yes

IMDG

yes(FORMALDEHYDE, POLYMER WITH AMINE AND Marine pollutant

PHENOL, POLYAMIDOAMINE)

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

REACH - Candidate List of Substances of Very High

: This product does not contain Concern for Authorisation (Article 59). substances of very high concern

(Regulation (EC) No

1907/2006 (REACH), Article 57). Conditions of restriction for the REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, following entries should be

mixtures and articles (Annex XVII) considered:

Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your

vendor.

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

Version Revision Date: SDS Number: Date of last issue: 20.12.2019
1.1 05.07.2023 400000009648 Date of first issue: 20.12.2019

Print Date 30.01.2024

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

ENVIRONMENTAL HAZARDS

Occupational Illnesses (R-

461-3, France)

: 51, 49, 49 bis, 43

E2

Installations classified for the : 4511

protection of the environment (Environment Code R511-9)

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

DSL : This product contains one or several components listed in the

Canadian NDSL.

AIIC : All components are listed on the inventory, regulatory

obligations/restrictions apply. Please contact your sales representative for more information before import into

Australia

NZIoC : On the inventory, or in compliance with the inventory

ENCS : Notified. Allowed to be imported / manufactured only by the

notifiers. Please contact your Huntsman sales representative

for more information.

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 20.12.2019

 1.1
 05.07.2023
 400000009648
 Date of first issue: 20.12.2019

Print Date 30.01.2024

Inventories

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction. H318 : Causes serious eye damage.

H332 : Harmful if inhaled. H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.
 H411 : Toxic to aquatic life with long lasting effects.
 H412 : Harmful to aquatic life with long lasting effects.

EUH071 : Corrosive to the respiratory tract.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam.Skin Corr.Skin corrosionSkin Irrit.Skin sensitisation

FR VLE : France. Occupational Exposure Limits

FR VLE / VLCT (VLE) : Short Term Exposure Limit

Further information

Classification of the mixture: Classification procedure:

Skin Corr. 1B H314 Calculation method
Eye Dam. 1 H318 Calculation method
Skin Sens. 1 H317 Calculation method
Aquatic Chronic 2 H411 Calculation method

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

according to Regulation (EC) No. 1907/2006



XB 2253-1 HARDENER BD

Version Revision Date: SDS Number: Date of last issue: 20.12.2019
1.1 05.07.2023 400000009648 Date of first issue: 20.12.2019

Print Date 30.01.2024

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.