according to Regulation (EC) No. 1907/2006



REN® HV 427-1

Version Revision Date: SDS Number: Date of last issue: 08.03.2023 2.0 22.11.2023 400001008827 Date of first issue: 04.09.2015

Print Date 27.08.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : REN® HV 427-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Hardener

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe) BV

Address : Everslaan 45

3078 Everberg

Belgium

Telephone : +41 61 299 20 41 Telefax : +41 61 299 20 40

E-mail address of person

responsible for the SDS

: Global_Product_EHS_AdMat@huntsman.com

1.4 Emergency telephone number

Emergency telephone number : Centres Antipoison et de Toxicovigilance:

ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80 LILLE: 0 825 812 822 LYON: 04 72 11 69 11 MARSEILLE 04 91 75 25 25 NANCY: 03 83 32 36 36 PARIS: 01 40 05 48 48 RENNES: 02 99 59 22 22 STRASBOURG: 03 88 37 37 TOULOUSE: 05 61 77 74 47

EUROPE: +32 35 75 1234 France ORFILA: +33(0)145425959

ASIA: +65 6336-6011 China: +86 20 39377888 +86 532 83889090

India: + 91 22 42 87 5333 Australia: 1800 786 152 New Zealand: 0800 767 437 USA: +1 800-424-9300

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Sub-category 1C H314: Causes severe skin burns and eye damage.

according to Regulation (EC) No. 1907/2006



Enriching lives through innovation

REN® HV 427-1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.03.2023

 2.0
 22.11.2023
 400001008827
 Date of first issue: 04.09.2015

Print Date 27.08.2024

Serious eye damage, Category 1 H318: Causes serious eye damage.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Reproductive toxicity, Category 1B H360F: May damage fertility.

Short-term (acute) aquatic hazard,

Category 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard,

Category 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms









Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H360F May damage fertility.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection/ hearing protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Hazardous components which must be listed on the label:

Fatty acids C18 unsat, reaction products with tetraethylenepentamine Formaldehyde, oligomeric reaction products with phenol 4,4'-isopropylidenediphenol

Additional Labelling

Restricted to professional users.

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.03.2023

 2.0
 22.11.2023
 400001008827
 Date of first issue: 04.09.2015

Print Date 27.08.2024

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Toxicological information: This substance/mixture contains components considered to have endocrine disrupting properties affecting human health, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Amines

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concent ration (% w/w)
Fatty acids C18 unsat, reaction products with tetraethylenepentamine	1226892-45-0 - 01-2119487006-38	Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 50 - < 70
Formaldehyde, oligomeric reaction products with phenol	9003-35-4 Polymer	Skin Sens. 1; H317	>= 10 - < 20
4,4'-isopropylidenediphenol	80-05-7 201-245-8 604-030-00-0 01-2119457856-23	Eye Dam. 1; H318 Skin Sens. 1; H317 Repr. 1B; H360F STOT SE 3; H335 (Respiratory system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	>= 3 - < 10

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.03.2023

 2.0
 22.11.2023
 400001008827
 Date of first issue: 04.09.2015

Print Date 27.08.2024

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Treat symptomatically.

Get medical attention if symptoms occur.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Avoid inhalation, ingestion and contact with skin and eyes. No action shall be taken involving any personal risk or without

suitable training.

It may be dangerous to the person providing aid to give

mouth-to-mouth resuscitation.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Immediate medical treatment is necessary as untreated

wounds from corrosion of the skin heal slowly and with

difficulty.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible

tissue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Keep respiratory tract clear. Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

Causes serious eye damage.

May damage fertility. Causes severe burns.

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

Version Revision Date: SDS Number: Date of last issue: 08.03.2023 2.0 22.11.2023 400001008827 Date of first issue: 04.09.2015

Print Date 27.08.2024

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

Exercise caution when using a high volume water jet as it may

scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

Carbon oxides

Carbon dioxide (CO2) Carbon monoxide

Ammonia

Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Specific extinguishing

methods

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

Version SDS Number: Date of last issue: 08.03.2023 Revision Date: 400001008827 2.0 22.11.2023 Date of first issue: 04.09.2015

Print Date 27.08.2024

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralise with acid.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Repeated or prolonged skin contact may cause skin irritation

> and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this

product.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

When using do not eat or drink. When using do not smoke. Hygiene measures

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label

precautions. Keep in properly labelled containers.

Advice on common storage Do not store near acids.

Further information on

storage stability

Stable under normal conditions.

Recommended storage

temperature

: 2 - 40 °C

7.3 Specific end use(s)

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

Version Revision Date: SDS Number: Date of last issue: 08.03.2023 2.0 22.11.2023 400001008827 Date of first issue: 04.09.2015

Print Date 27.08.2024

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
4,4'-	80-05-7	VME (Dust,	2 mg/m3	FR VLE
isopropylidenediph		inhalable	_	
enol		fraction)		
	Further information: Reprotoxic category 1B - Probably reprotoxic to humans,			
	Regulatory binding exposure limits			
		TWA (inhalable	2 mg/m3	2017/164/EU
		fraction)		
	Further information: Indicative			
		TWA (inhalable	2 mg/m3	2004/37/EC
		fraction)		
	Further information: Carcinogens or mutagens			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Fatty acids C18 unsat, reaction products with tetraethylenepentamin e	Workers	Inhalation	Long-term systemic effects	29 mg/m3
	Workers	Dermal	Long-term systemic effects	4,2 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,7 mg/m3
	Consumers	Dermal	Long-term systemic effects	2,5 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	2,5 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Fatty acids C18 unsat, reaction products with	Fresh water	0,0307 mg/kg
tetraethylenepentamine		
	Remarks:Assessment Factors	
	Marine water	0,00307 mg/kg
	Remarks: Assessment Factors	
	Sewage treatment plant	2,3 mg/l
	Remarks:Assessment Factors	
	Fresh water sediment	119,8 mg/kg dry weight (d.w.)
	Remarks:Equilibrium method	

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

Version SDS Number: Date of last issue: 08.03.2023 Revision Date: 400001008827 2.0 22.11.2023 Date of first issue: 04.09.2015

Print Date 27.08.2024

Marine sediment	11,98 mg/kg dry weight (d.w.)
Remarks:Equilibrium method	
Soil	9,44 mg/kg dry weight (d.w.)
Remarks: Assessment Factors	
Oral	20 mg/kg
Remarks: Assessment Factors	

8.2 Exposure controls

Personal protective equipment

Eye/face protection Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material butyl-rubber

Break through time > 8 h

Nitrile rubber Material Break through time 10 - 480 min

Remarks Take note of the information given by the producer

> concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of

contact).

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Use respiratory protection unless adequate local exhaust Respiratory protection

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines

Equipment should conform to EN 14387

In the case of vapour formation use a respirator with an

approved filter.

Combined particulates and ammonia/amines type (K-P) Filter type

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

Version Revision Date: SDS Number: Date of last issue: 08.03.2023 2.0 22.11.2023 400001008827 Date of first issue: 04.09.2015

Print Date 27.08.2024

Colour : No data is available on the product itself.

Odour : amine-like

Odour Threshold : No data is available on the product itself.

Melting point/freezing point : No data is available on the product itself.

Boiling point : > 200 °C

Flammability (solid, gas) : No data is available on the product itself.

Lower explosion limit / Lower

flammability limit

: No data is available on the product itself.

Upper explosion limit / Upper

flammability limit

: No data is available on the product itself.

Flash point : 170 °C

Method: Pensky-Martens closed cup

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : > 200 °C

pH : 11 (20 °C)

Concentration: 500 g/l

Viscosity : No data is available on the product itself.

Solubility(ies)

Water solubility : completely miscible (20 °C)

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-

octanol/water

: No data is available on the product itself.

Vapour pressure : 0,00006 hPa (20 °C)

Density : 0,6 g/cm3 (25 °C)

Relative density : No data is available on the product itself.

Relative vapour density : No data is available on the product itself.

Particle characteristics : No data is available on the product itself.

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

Version Date of last issue: 08.03.2023 Revision Date: SDS Number: 400001008827 2.0 22.11.2023 Date of first issue: 04.09.2015

Print Date 27.08.2024

9.2 Other information

No data is available on the product itself.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid None known.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed. : carbon dioxide Hazardous decomposition products carbon monoxide

Nitrogen oxides (NOx)

ammonia, anhydrous

Aldehydes Ketones

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

Fatty acids C18 unsat, reaction products with tetraethylenepentamine:

Acute oral toxicity LD50 (Rat, female): > 2 000 mg/kg

Method: OECD Test Guideline 423

GLP: yes

Assessment: The component/mixture is low toxic after single

ingestion.

Formaldehyde, oligomeric reaction products with phenol:

Acute oral toxicity : LD50 (Rat): > 5 000 mg/kg

Acute dermal toxicity LD50 (Rat): > 2 000 mg/kg

Assessment: The substance or mixture has no acute dermal

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.03.2023

 2.0
 22.11.2023
 400001008827
 Date of first issue: 04.09.2015

Print Date 27.08.2024

toxicity

4,4'-isopropylidenediphenol:

Acute oral toxicity : LD50 (Rat, male and female): > 2 000 - < 5 000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral

toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 170 mg/m3

Exposure time: 6 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit, male): ca. 6 400 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Causes severe burns.

Components:

Fatty acids C18 unsat, reaction products with tetraethylenepentamine:

Species : Rabbit Exposure time : 4 h

Assessment : Corrosive, category 1C - where responses occur after

exposures between 1 hour and 4 hours and observations up

to 14 days.

Method : OECD Test Guideline 404

Result : Corrosive, category 1C - where responses occur after

exposures between 1 hour and 4 hours and observations up

to 14 days.

GLP : yes

4,4'-isopropylidenediphenol:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Fatty acids C18 unsat, reaction products with tetraethylenepentamine:

Result : Corrosive

4,4'-isopropylidenediphenol:

Species : Rabbit

Assessment : Risk of serious damage to eyes.

Method : OECD Test Guideline 405

Result : Risk of serious damage to eyes.

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

Version Revision Date: SDS Number: Date of last issue: 08.03.2023 2.0 22.11.2023 400001008827 Date of first issue: 04.09.2015

Print Date 27.08.2024

GLP : yes

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Components:

Fatty acids C18 unsat, reaction products with tetraethylenepentamine:

Test Type : Maximisation Test

Exposure routes : Skin Species : Guinea pig

Assessment : Probability or evidence of high skin sensitisation rate in

humans

Method : OECD Test Guideline 406

Result : Probability or evidence of high skin sensitisation rate in

humans

GLP : yes

Formaldehyde, oligomeric reaction products with phenol:

Exposure routes : Skin Species : Humans

Assessment : May cause sensitisation by skin contact.
Result : May cause sensitisation by skin contact.

4,4'-isopropylidenediphenol:

Exposure routes : Skin Species : Mouse

Assessment : Did not cause sensitisation on laboratory animals.

Method : OECD Test Guideline 429

Result : Did not cause sensitisation on laboratory animals.

GLP : yes

Exposure routes : Skin Species : Humans

Assessment : May cause sensitisation by skin contact.

Result : Causes sensitisation.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

Fatty acids C18 unsat, reaction products with tetraethylenepentamine:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.03.2023

 2.0
 22.11.2023
 400001008827
 Date of first issue: 04.09.2015

Print Date 27.08.2024

Result: negative GLP: yes

Remarks: Information given is based on data obtained from

similar substances.

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative GLP: yes

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative GLP: yes

4,4'-isopropylidenediphenol:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: reverse mutation assay

Test system: Salmonella tryphimurium and E. coli Metabolic activation: with and without metabolic activation

Result: negative

Test Type: gene mutation test
Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male and female)

Cell type: Bone marrow Application Route: Oral

Dose: 0, 500, 1000, or 2000 mg/kg

Result: negative

Carcinogenicity

Not classified due to lack of data.

Components:

GLP

4,4'-isopropylidenediphenol:

Species : Rat, male and female

yes

Application Route : Oral
Exposure time : 103 weeks
Frequency of Treatment : 7 daily
Result : negative

SDS FR-AM - - 400001008827

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.03.2023

 2.0
 22.11.2023
 400001008827
 Date of first issue: 04.09.2015

Print Date 27.08.2024

Reproductive toxicity

May damage fertility.

Components:

Fatty acids C18 unsat, reaction products with tetraethylenepentamine:

Effects on fertility : Test Type: Combined Repeated Dose Toxicity Study with the

Reproduction / Developmental Toxicity Screening Test

Species: Rat, male and female

Application Route: Oral

Dose: 0/30/100/300 milligram per kilogram Duration of Single Treatment: 28 - 41 d Frequency of Treatment: 7 days/week

General Toxicity - Parent: NOAEL: >= 300 mg/kg body weight General Toxicity F1: NOAEL: >= 300 mg/kg body weight

Method: OECD Test Guideline 422

Result: Not classified

GLP: yes

Effects on foetal development

: Species: Rat, female Application Route: Oral

Dose: 0/100/300/1000 milligram per kilogram

Duration of Single Treatment: 10 d Frequency of Treatment: 7 days/week

General Toxicity Maternal: NOAEL: > 1 000 mg/kg body

weight

Developmental Toxicity: NOAEL: > 1 000 mg/kg body weight

Result: No teratogenic effects

GLP: yes

4,4'-isopropylidenediphenol:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

Dose: 0, 0.2, 2, 20, and 200 µg/kg

General Toxicity - Parent: NOAEL: 0,2 mg/kg body weight General Toxicity F1: NOAEL: 0,2 mg/kg body weight General Toxicity F2: NOAEL: 0,2 mg/kg body weight

Method: OECD Test Guideline 416

Result: Embryotoxic effects and adverse effects on the

offspring were detected.

GLP: yes

Species: Rat. male and female

General Toxicity - Parent: NOAEL: 2,7 mg/kg body weight General Toxicity F1: NOAEL: 2,7 mg/kg body weight

GLP: yes

Effects on foetal development

Species: Rat, female Application Route: Oral

General Toxicity Maternal: NOAEL: 0,2 mg/kg body weight

Method: OECD Test Guideline 416 Result: No teratogenic effects

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.03.2023

 2.0
 22.11.2023
 400001008827
 Date of first issue: 04.09.2015

Print Date 27.08.2024

Reproductive toxicity - : Clear evidence of adverse effects on sexual function and

Assessment fertility, based on animal experiments.

STOT - single exposure

Not classified due to lack of data.

Components:

4,4'-isopropylidenediphenol:

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

STOT - repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Components:

Fatty acids C18 unsat, reaction products with tetraethylenepentamine:

Species : Rat, male and female NOAEL : >= 300 mg/kg/d Application Route : oral (gavage) Exposure time : 8 - 28 d 6 h Number of exposures : 7 days/week

Dose : 0/30/100/300 mg/kg/day

Control Group : yes

Method : OECD Test Guideline 422

GLP : yes

Species : Dog, male and female

NOAEL : 144 mg/kg Application Route : oral (feed) Exposure time : 3 d

Dose : 4000/12000/40000 ppm Method : Subchronic toxicity

Remarks : Information given is based on data obtained from similar

substances.

4,4'-isopropylidenediphenol:

Species : Mouse, male and female

NOAEL : 300 ppm
Application Route : oral (feed)
Exposure time : 8 weeks
Number of exposures : 7 days/week

Dose : 0.018,0.18,1.8,30,300,3500 ppm Method : OECD Test Guideline 416

GLP : yes

Species : Rat, male and female

NOEL : 75 ppm NOAEL : 750 ppm Application Route : oral (feed)

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.03.2023

 2.0
 22.11.2023
 400001008827
 Date of first issue: 04.09.2015

Print Date 27.08.2024

Number of exposures : 7 days/week

Dose : 0,0.015,0.3,4.5,75,750,7500ppm Method : OECD Test Guideline 416

GLP : yes

Species : Rat, male and female

LOAEL : 600 mg/kg Application Route : oral (gavage)

Exposure time : 28 d Number of exposures : 7 days/week

Dose : 0, 40, 200, 600 1000 mg/kg-day Method : OECD Test Guideline 407

GLP : yes

Species : Rat, male and female

NOEC : 10 mg/m3

Application Route : inhalation (dust/mist/fume)

Exposure time : 13 weeks 6 h Number of exposures : 5 days/week

Dose : 0, 10, 50, or 150 mg/m3

Species : Rat, male and female

NOAEL : 90 mg/m³

Application Route : inhalation (dust/mist/fume)

Exposure time : 8 weeks 6 h

Number of exposures : 5 days/week

Dose : 10/30/90 mg/m3

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : This substance/mixture contains components considered to

have endocrine disrupting properties affecting human health, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU)

2017/2100.

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

No data available

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.03.2023

 2.0
 22.11.2023
 400001008827
 Date of first issue: 04.09.2015

Print Date 27.08.2024

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

Fatty acids C18 unsat, reaction products with tetraethylenepentamine:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 0,19 mg/l

End point: mortality
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 203

GLP: yes

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,18 mg/l

End point: Immobilization
Exposure time: 48 h
Test Type: static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 202

GLP: yes

Remarks: Information given is based on data obtained from

similar substances.

LC50 (Daphnia magna (Water flea)): 0,24 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test

Test substance: Fresh water

Method: ISO 6341

GLP: yes

Remarks: Information given is based on data obtained from

similar substances.

EC50 (Daphnia magna (Water flea)): 1,48 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: no Test substance: Fresh water Method: OECD Test Guideline 202

GLP: yes

Remarks: Information given is based on data obtained from

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

Version Revision Date: SDS Number: Date of last issue: 08.03.2023 2.0 22.11.2023 400001008827 Date of first issue: 04.09.2015

Print Date 27.08.2024

similar substances.

Toxicity to algae/aquatic plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0,638

mg/l

Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 201

GLP: yes

EC10 (Pseudokirchneriella subcapitata (green algae)): 0,395

mg/l

Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 201

GLP: yes

M-Factor (Acute aquatic

toxicity)

10

Toxicity to microorganisms : EC50 (activated sludge): 114 mg/l

Exposure time: 3 h
Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 209

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC: 0,0320 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test Analytical monitoring: yes Test substance: Fresh water Method: OECD Test Guideline 211

GLP: yes

M-Factor (Chronic aquatic

toxicity)

: 1

Toxicity to soil dwelling

organisms

NOEC: 944 mg/kg Exposure time: 56 d

Species: Eisenia fetida (earthworms)

Test substance: Natural

Method: OECD Test Guideline 222

GLP:yes

4,4'-isopropylidenediphenol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4,6 mg/l

End point: mortality Exposure time: 96 h

Test Type: flow-through test

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.03.2023

 2.0
 22.11.2023
 400001008827
 Date of first issue: 04.09.2015

Print Date 27.08.2024

Analytical monitoring: yes Test substance: Fresh water Method: ASTM Method, other

GLP: yes

LC50 (Oryzias latipes (Orange-red killifish)): 6,8 mg/l

End point: mortality Exposure time: 72 h

Test substance: Fresh water Method: OECD Test Guideline 203

Toxicity to daphnia and other : aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 10,2 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes Test substance: Fresh water Method: Other guidelines

GLP: yes

EC50 (Chironomus sp. (midge)): 2,7 mg/l

End point: Immobilization Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes Test substance: Fresh water Method: Other guidelines

GLP: yes

EC50 (Acartia tonsa): 0,885 mg/l

Exposure time: 48 h Method: Measured

Toxicity to algae/aquatic plants

EbC50 (Pseudokirchneriella subcapitata (green algae)): 2,73

mg/l

Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes
Test substance: Fresh water

GLP: yes

EC10 (Pseudokirchneriella subcapitata (green algae)): 1,41

ma/l

Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes
Test substance: Fresh water

GLP: yes

EC50 (Lemna minor (duckweed)): 20 mg/l

Exposure time: 7 d
Test Type: semi-static test
Analytical monitoring: yes
Test substance: Fresh water
Method: OECD Test Guideline 221

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.03.2023

 2.0
 22.11.2023
 400001008827
 Date of first issue: 04.09.2015

Print Date 27.08.2024

GLP: yes

NOEC (Lemna minor (duckweed)): 7,8 mg/l

Exposure time: 7 d

Test Type: semi-static test Analytical monitoring: yes Test substance: Fresh water Method: OECD Test Guideline 221

GLP: yes

M-Factor (Acute aquatic

toxicity)

: 1

Toxicity to fish (Chronic

toxicity)

: NOEC: >= 0,640 mg/l Exposure time: 36 d

Species: Pimephales promelas (fathead minnow)

Test Type: flow-through test Analytical monitoring: yes Test substance: Fresh water Method: OECD Test Guideline 210

GLP: yes

NOEC: 0,000372 mg/l Exposure time: 300 d

Species: Danio rerio (zebra fish) Test substance: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC: 0,025 mg/l Exposure time: 181 d

Test Type: flow-through test Analytical monitoring: yes Test substance: Fresh water

GLP: yes

M-Factor (Chronic aquatic

toxicity)

10

12.2 Persistence and degradability

Components:

Fatty acids C18 unsat, reaction products with tetraethylenepentamine:

Biodegradability : Test Type: aerobic

Inoculum: Fresh water Concentration: 2 mg/l

Result: Inherently biodegradable.

Biodegradation: 24 % Exposure time: 60 d

Method: OECD Test Guideline 301D

GLP: yes

Remarks: Based on data from similar materials

4,4'-isopropylidenediphenol:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge, non-adapted

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

Version Revision Date: SDS Number: Date of last issue: 08.03.2023 2.0 22.11.2023 400001008827 Date of first issue: 04.09.2015

Print Date 27.08.2024

Concentration: 100 mg/l Result: Readily biodegradable.

Biodegradation: 89 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Test substance: Fresh water

GLP: yes

Test Type: aerobic

Inoculum: activated sludge, non-adapted

Concentration: 25 mg/l Result: Readily biodegradable. Biodegradation: 74,7 - 81,4 %

Related to: Dissolved organic carbon (DOC)

Exposure time: 28 d

Method: OECD Test Guideline 301F

Test substance: Fresh water

GLP: yes

12.3 Bioaccumulative potential

Components:

Fatty acids C18 unsat, reaction products with tetraethylenepentamine:

Partition coefficient: n- : log Pow: 2,2 (25 °C)

octanol/water pH: 6

Method: OECD Test Guideline 123

GLP: no

Remarks: Based on data from similar materials

4,4'-isopropylidenediphenol:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Exposure time: 42 d

Bioconcentration factor (BCF): 5,1 - 13,3

Partition coefficient: n- : log Pow: 3,4 (21,5 °C)

octanol/water pH: 6,4

Method: OECD Test Guideline 107

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : This substance/mixture contains components considered to

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.03.2023

 2.0
 22.11.2023
 400001008827
 Date of first issue: 04.09.2015

Print Date 27.08.2024

have endocrine disrupting properties for environment , according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU)

2017/2100.

Components:

4,4'-isopropylidenediphenol:

Assessment : The substance is considered to have endocrine disrupting

properties according to REACH Article 57(f) for the

environment.

12.7 Other adverse effects

Product:

Additional ecological

information

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 2735
ADR : UN 2735
RID : UN 2735
IMDG : UN 2735
IATA : UN 2735

14.2 UN proper shipping name

ADN : AMINES, LIQUID, CORROSIVE, N.O.S.

(POLYAMIDOIMIDAZOLINE)

ADR : AMINES, LIQUID, CORROSIVE, N.O.S.

(POLYAMIDOIMIDAZOLINE)

RID : AMINES, LIQUID, CORROSIVE, N.O.S.

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.03.2023

 2.0
 22.11.2023
 400001008827
 Date of first issue: 04.09.2015

Print Date 27.08.2024

(POLYAMIDOIMIDAZOLINE)

IMDG : AMINES, LIQUID, CORROSIVE, N.O.S.

(POLYAMIDOIMIDAZOLINE)

IATA : Amines, liquid, corrosive, n.o.s.

(POLYAMIDOIMIDAZOLINE)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 8
ADR : 8
RID : 8
IMDG : 8
IATA : 8

14.4 Packing group

ADN

Packing group : III
Classification Code : C7
Hazard Identification Number : 80
Labels : 8

ADR

Packing group : III
Classification Code : C7
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : (E)

RID

Packing group : III
Classification Code : C7
Hazard Identification Number : 80
Labels : 8

IMDG

Packing group : III
Labels : 8
EmS Code : F-A, S-B

IATA (Cargo)

Packing instruction (cargo : 856

aircraft)

Packing instruction (LQ) : Y841
Packing group : III
Labels : Corrosive

IATA (Passenger)

Packing instruction : 852

(passenger aircraft)

Packing instruction (LQ) : Y841
Packing group : III

Labels : Corrosive

14.5 Environmental hazards

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.03.2023

 2.0
 22.11.2023
 400001008827
 Date of first issue: 04.09.2015

Print Date 27.08.2024

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation

(Annex XIV)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

: Not applicable

: 4,4'-isopropylidenediphenol

: Conditions of restriction for the following entries should be

considered:

Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your

vendor.

4,4'-isopropylidenediphenol (Number on list 66, 30)

formaldehyde (Number on list 72,

28)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

ENVIRONMENTAL HAZARDS

Occupational Illnesses (R-

461-3, France)

: Not applicable

E1

Installations classified for the protection of the environment

(Environment Code R511-9)

: 4510

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.03.2023

 2.0
 22.11.2023
 400001008827
 Date of first issue: 04.09.2015

Print Date 27.08.2024

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AIIC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

Inventories

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SECTION 16: Other information

Full text of H-Statements

H314 : Causes severe skin burns and eye damage.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H335 : May cause respiratory irritation.

H360F : May damage fertility.

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

Version Revision Date: SDS Number: Date of last issue: 08.03.2023 2.0 22.11.2023 400001008827 Date of first issue: 04.09.2015

Print Date 27.08.2024

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage
Repr. : Reproductive toxicity
Skin Corr. : Skin corrosion
Skin Sens. : Skin sensitisation

STOT SE : Specific target organ toxicity - single exposure

2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers

from the risks related to exposure to carcinogens or mutagens

at work

2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a

fourth list of indicative occupational exposure limit values

FR VLE : France. Occupational Exposure Limits

2004/37/EC / TWA : Long term exposure limit 2017/164/EU / TWA : Limit Value - eight hours FR VLE / VME : Time Weighted Average

Further information

Classification of the mixture: Classification procedure:

Skin Corr. 1C H314 Calculation method
Eye Dam. 1 H318 Calculation method
Skin Sens. 1 H317 Calculation method
Repr. 1B H360F Calculation method

Aquatic Acute 1 H400 Based on product data or assessment
Aquatic Chronic 1 H410 Based on product data or assessment

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

according to Regulation (EC) No. 1907/2006



REN® HV 427-1

Version Revision Date: SDS Number: Date of last issue: 08.03.2023 2.0 22.11.2023 400001008827 Date of first issue: 04.09.2015

Print Date 27.08.2024

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.