



Printing and revision 04.10.2023 Version number 59 (replaces version 58) Modification: 04.10.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: SERENYS Poly-FG2
- · Article number: 033072
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Grease
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:
- · Samaro SA
- · Allée des petites Combes ZI NORD
- · 01700 BÊYNOST France
- · Tél. 04 26 680 680
- www.samaro.fr
- · Further information obtainable from: info@samaro.fr
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Lubricating grease

| · Dangerous components:     |  |            |
|-----------------------------|--|------------|
| CAS: 1305-62-0              | calcium dihydroxide                                    | 0.5-<1%    |
| EINECS: 215-137-3           | Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335 |            |
| Reg.nr.: 01-2119475151-45   |  |            |
| CAS: 128-37-0               | 2,6-di-tert-butyl-p-cresol                             | 0.25-≤0.5% |
| EINECS: 204-881-4           | Aquatic Chronic 1, H410                                |            |
| Reg.nr.: UK-01-7190623247-6 |  |            |

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Take affected persons out into the fresh air.
- · After inhalation: Not applicable, because solids and paste is free of solvents.

(Contd. on page 2)

Printing and revision 04.10.2023 Version number 59 (replaces version 58) Modification: 04.10.2023

## Trade name: SERENYS Poly-FG2

(Contd. of page 1)

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, sand, extinguishing powder. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water
- · 5.2 Special hazards arising from the substance or mixture Do not breathe gases and smokes from fire
- · 5.3 Advice for firefighters
- · Protective equipment: Mount respiratory protective device.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

An overflow of this product may give slippery surfaces.

· 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Pick up mechanically.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

No special measures required.

No special precautions are necessary if used correctly.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

| · Ingredients with limit | values that require monitoring at the workplace: |
|--------------------------|--|
| 1305-62-0 calcium dihy   | droxide  |
| WEL (Great Britain)      | Short-term value: 4* mg/m³                       |
|                          | Long-term value: 5 1* mg/m <sup>3</sup>          |
|                          | *resprable fraction                              |

IOELV (European Union) | Short-term value: 4 mg/m³

Long-term value: 1 mg/m<sup>3</sup> Respirable fraction

TLV (European Union) Short-term value: 5 mg/m<sup>3</sup>

(Contd. on page 3)

Printing and revision 04.10.2023 Version number 59 (replaces version 58) Modification: 04.10.2023

Trade name: SERENYS Poly-FG2

(Contd. of page 2)

## 128-37-0 2,6-di-tert-butyl-p-cresol

WEL (Great Britain) Long-term value: 10 mg/m³
TLV (European Union) Short-term value: 5 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Hand protection



Protective gloves

### · Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

*Not applicable.* 

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Safety glasses

### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Paste
White
Characteristic
Not determined.
Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined.
• Flammability Not determined.

· Lower and upper explosion limit

Lower:

Not determined.

Upper:
Not determined.

Flash point:
Decomposition temperature:
Not determined.

Not determined.

· pH · Viscosity:

Kinematic viscosityDynamic:Not applicable.Not applicable.

· Solubility Partly soluble in hydrocarbons

water:
Partition coefficient n-octanol/water (log value)
Vapour pressure:
Insoluble.
Not determined.
Not applicable.

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 1.145 g/cm<sup>3</sup>
 Not determined.
 Not applicable.

(Contd. on page 4)

*Version number 59 (replaces version 58)* Printing and revision 04.10.2023 Modification: 04.10.2023

Trade name: SERENYS Poly-FG2

(Contd. of page 3)

· 9.2 Other information

· Appearance:

· Form: Paste

· Important information on protection of health and

environment, and on safety.

· Ignition temperature: Not determined.

· Explosive properties: Product does not present an explosion hazard.

· Change in condition

· Evaporation rate Not applicable.

· Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void

· Substances and mixtures, which emit flammable

gases in contact with water Void · Oxidising liquids Void Oxidising solids Void · Organic peroxides Void Corrosive to metals Void · Desensitised explosives Void

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: Stable at environment temperature.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Strong oxyding agents

No further relevant information available.

· 10.6 Hazardous decomposition products: Hydrocarbons, CO,CO2

## SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

#### 1305-62-0 calcium dihydroxide

LD50 >2,000 mg/kg (Rat) (OECD 425) Oral

Dermal LD50 >2,000 mg/kg (Rabbit) (OECD 402)

### 128-37-0 2,6-di-tert-butyl-p-cresol

LD50 >2,930 mg/kg (Rat) (OCDE 401) Oral Dermal LD50 >2,000 mg/kg (Rat) (OCDE 402)

#### · Skin corrosion/irritation

No irritant effects known

Based on available data, the classification criteria are not met.

Serious eve damage/irritation

Weakly irritant

Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 5)

Printing and revision 04.10.2023 Version number 59 (replaces version 58) Modification: 04.10.2023

Trade name: SERENYS Poly-FG2

(Contd. of page 4)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Other information (about experimental toxicology): Repetitive or extended contacts could cause skin irritations.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

128-37-0 2,6-di-tert-butyl-p-cresol

List II

## SECTION 12: Ecological information

· 12.1 Toxicity

A greatia tariaitu

| · Aquatic toxicity:                 |  |  |
|-------------------------------------|--|--|
| 1305-62-0 calcium dihydroxide       |  |  |
| CL50-96H                            | 50.6 mg/l (Fish)                       |  |
| EC50-48H                            | 49.1 mg/l (Daphnia)                    |  |
| CE50                                | 184.57 mg/l /72h (Algea)               |  |
| NOEC                                | 48 mg/l /72h (Algea)                   |  |
|                                     | 32 mg/l /14d (Invertebrate)            |  |
| 128-37-0 2,6-di-tert-butyl-p-cresol |  |  |
| CL50-96H >0.57 mg/l (Fish)          |  |  |
| CE50                                | >0.4 mg/l /72h (Algea)                 |  |
|                                     | >10,000 mg/l /3h (Bacteria) (OCDE 209) |  |
|                                     | 0.48 mg/l (Daphnia) (OCDE 202 48H)     |  |
| NOEC                                | 0.023 mg/l /21d (Daphnia)              |  |
|                                     | 0.053 mg/l /42d (Fish)                 |  |

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water danger class 3 (German Regulation): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

## SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, ADN, IMDG, IATA Void
- · 14.2 UN proper shipping name
- · ADR, ADN, IMDG, IATA Void

(Contd. on page 6)

*Version number 59 (replaces version 58)* Printing and revision 04.10.2023 Modification: 04.10.2023

Trade name: SERENYS Poly-FG2 (Contd. of page 5) · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class Void · 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Not applicable. · 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

Void

## SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU

· UN "Model Regulation":

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

- · Department issuing SDS: see item 1
- · Abbreviations and acronyms:

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* Data compared to the previous version altered.

GB